Current Advance in Materials and Process, Vol.15, No.4

High Temperature Processes

| | High Temperature Processes | | | |
|----|--|-------------------|-------|------------|
| | re No. Title ry Session | Speaker | Pag | ge |
| 1 | In-situ observation of carburization and melting of iron using high temperature X-ray diffractometry | I.Seki | | 722 |
| 2 | Effect of oxygen partial pressure and Al ₂ O ₃ ,MgO addition on liquidus of the CaO-SiO ₂ -FeO _x system | H.Kimura | | 723 |
| 3 | Isothermal growth of liquid film around a bonding interface accompanied by mutual diffusion | N.Ikeda | | 724 |
| 4 | Reduction of high density carbon composite briquet in molten slag | T.Oue | | 725 |
| 5 | Effect of state of hematite crystal on the milling of hematite-graphite mixture | Y.Kashiwaya | | 726 |
| 6 | Gas evolution during mechanical milling of hematite and graphite mixture and gas analysis during heating up reduction | H.Suzuki | | 727 |
| | The investigation of high voltage electron irradiation effect in wustite | N.Ishikawa | | 728 |
| | Measurement of the effective diffusivity of carbon composite briquette by the Wicke-Kallenbach method | T.Maeda | | 729 |
| | Influence of pore diameter on reducibility of iron ore agglomerates | A.Zulkhairi | | 730 |
| 10 | Reduction of sinter packed bed with H ₂ -CO gas mixture | Y.Goto | | 731 |
| 11 | Hydrogen recovery by reactions of carbonous materials in supercritical water along with CO ₂ fixation | S.Hayashi | | 732 |
| 12 | Heat recovery of waste heat in steel making industry using chemical endothermic reaction | N.Maruoka | | 733 |
| | Characterization of the briquette prepared from electric arc furnace dust blended with quicklime (Development of the collecting dust recycling process on electric arc furnace-1) | S.Kimura | | 734 |
| 14 | Effect of dust recycling on electric arc furnace steel making (Development of the collecting dust recycling process on electric arc furnace-2) | K.Igarashi | | 735 |
| | Behavior of components in dust and exhaust gas from sealed steelmaking electric arc furnace | Y.Mizuno | | 736 |
| 16 | Formation of zinc oxychloride vapor | S.Son | | 737 |
| 17 | Recovery of chromium from stainless slag and dust | T.Nakasuga | | 738 |
| 18 | Distribution of the heavy metals between molten chloride and slag | K.Fukuda | | 739 |
| 19 | Aluminum deoxidation equilibrium of molten Fe-Ni alloy | T.Uenishi | | 740 |
| 20 | Thermodynamic reassessment of NaCI-ZnCl ₂ binary phase diagram | A.Matsuzawa | | 741 |
| 21 | A thermochemical study of CaO-SiO ₂ -Al ₂ O ₃ -MgO-Fe _x O system | T.Kishimoto | | 742 |
| 22 | Activities of iron in Cu-Fe alloys | M.Hasegawa | | 743 |
| 23 | A thermochemical study of CaO-P ₂ O ₅ -FeO slags saturated with solid Ca ₃ P ₂ O ₈ | M.Hasegawa | • • • | 744 |
| 24 | Reaction between CaO-SiO ₂ -Al ₂ O ₃ slag and H ₂ O+HCl gas mixture | H.Toyota | • • • | 745 |
| | The effect of Al ₂ O ₃ on the ash remelting process | K.Iwasawa | | 746 |
| | Thermodynamic modeling of the CaO-MnO-SiO ₂ -Al ₂ O ₃ system to predict inclusion behavior in Mn/Si deoxidized steel Electrochemical and thermochemical reactions during the reduction of titanium dioxide | H.G.Lee P.Geay | | 747 748 |
| | in a CaCl ₂ -CaO melt | • | | 740 |
| 28 | High speed casting mold for continuously cast billet | T.Kanazawa | | 749 |
| | Improvement in surface quality of billet in No.4CC at Kobe Works | H.Tai | | 750 |
| | Effect of pulsative imposition of AC electromagnetic field on surface layer defects of continuous cast billet | K.Isobe | | 751 |
| | Phase diagram of the Cuspidine(3CaO• 2SiO ₂ • CaF ₂)-NaF system | H.Takahashi | | 752 |
| | Effect of chemical state of F ⁻ ion on crystallization of the CaO-SiO ₂ -CaF ₂ -Na ₂ O glasses | T.Watanabe | | 753 |
| | High speed casting technology for round billet caster | A.Hirata | | 754 |
| | Ultra clean bearing steel production technique at Mizushima Works | H.Yamasaki | • • • | 755 |
| | Effect of cooling conditions on microstructure of as cast slab | K.Tsutsumi | | 756 |
| | Effects of heating rate and blend ratio on the fusibility of coal blends | K.Masaki | • • • | 757 |
| | Influence of the gas kind and particle size on the reaction rate of graphite and bintyo char | T.Iwabuchi | • • • | 758 |
| | Influence of polyethylene addition to coal on coke strength | M.Fukuda | | 759 |
| | Influence of CO₂ reaction on permeability of coke bed | H.Fujimoto | • • • | 760 |
| | Coke reaction degradation model | H.Yamaoka | | 761 |
| | 3D structure of the coke pore and the ratio of closed pore | H.Takamaru | | 762 |
| 42 | Effect of coke pore structure on coke tumbler strength | T.Yamamoto | | 763 |
| | The factors governing coke pore distortion during carbonization | S.Nomura | | 764 |
| | Effect of waste plastics recycling technology using coke ovens on energy consumption | K.Kato | • • • | 765 |
| | Influence of projection on side walls(Influence of unevenness of oven walls on discharging behavior-1) | T.Nakagawa | | 766 |
| | Introducing burnt gas circulation combustion system to Yawata No.4 coke oven | S.Ikemoto | | 767 |
| | Stable operation in Fukuyama No.3 and 4 coke oven at high working ratio | M.Maruoka | | 768 |
| 48 | Recycling process of CFC-containing urethane foam by Thermo-bath | T.Takaoka | | 769 |

| 49 | Numerical simulation on high-temperature furnace for melting municipal solid waste | X.Liang | • | | | 770 |
|-----|---|--------------|---|---|---|-----|
| 50 | Calculation of thermodynamic properties of polybrominated dibenzo-p-dioxins using molecular orbital method with density functional theory | X.Li | • | • | • | 771 |
| 5 | I Granulation of blast furnace slag by rotary cup atomizers | T.Mizuochi | • | | • | 772 |
| 52 | 2 Grain size control of hard granulated blast furnace slag for fine aggregate | H.Tobo | • | | | 773 |
| 53 | B Development on agricultural materialization of slag-1 (Development of mutual problems between iron steel making and agriculture fishery industries-9) | K.Fujiwara | • | | • | 774 |
| | Final final and agriculture fishery industries-9) Evaluation of desulfurization flux in CaO-Al ₂ O ₃ -BaO-CeO ₂ -MgO system | E.Shibata | | | | 775 |
| 5 | 5 Inclusions in SUS316L steel formed at dephosphorization process by calcium flux | K.Sakuraya | • | | • | 776 |
| 56 | 6 Development of CaF ₂ free refining technique on ladle furnace | A.Noaki | • | | • | 777 |
| 57 | Water model experiments on removal of suspended particles from molten steel by attachment to bubbles | A.Okayama | • | | • | 778 |
| 58 | B Effect of initial oxygen content of molten steel on inclusion behavior | T.Murai | • | | | 779 |
| 59 | 9 Effect of nozzle twisted lance on spitting behavior | Y.Tago | • | | • | 780 |
| 60 | Increase in productivity at Fukuyama No.3 steelmaking shop | T.Ikagawa | • | | | 781 |
| 6 | Oxidation rate of MgO-C brick in CO ₂ and O ₂ gas | Y.Ayabe | • | | | 782 |
| 62 | 2 Corrosion resistance of zirconium boride refractory | H.Nakajima | • | | • | 783 |
| 63 | B Effect of Na ₂ O addition on the rate constant of CO-CO ₂ reaction with Fe ₁ O-base slag | H.Matsuura | • | | • | 784 |
| 64 | The surface structure correlations with wustite reduction mechanism | S.Mohamed | • | | • | 785 |
| 6 | 5 Effect of silicon on evaporation removal of copper in molten iron | K.Taguchi | • | | | 786 |
| 66 | 6 Effects of process variables on ultrasonic degradation of chemical substance in waste water | K.Kondo | • | | | 787 |
| 67 | 7 Fluid flow around two non-conducting particles in DC electromagnetic field and interaction between the particles | N.Yoshikawa | • | | • | 788 |
| | Belectromagnetic separation of inclusion from liquid metal by imposition of high frequency magnetic field (Effect of initial imposition of ultrasonic vibration) | K.Takahashi | • | | • | 789 |
| 69 | Control of solidified structure of Al alloy by using electromagnetic vibration | T.Takagi | • | | • | 790 |
| 70 | Electromagnetic force acting on metal chip in traveling magnetic field | S.Taniguchi | • | | | 791 |
| 7 | Equations for accurate prediction of the viscosities of molten borosilicate slags and glasses | Y.Kita | • | | • | 792 |
| 72 | 2 Equation for accurate viscosity predictions of molten PbO-SiO ₂ -CaO(CaO<5.3%) glasses | T.Iida | • | | | 793 |
| 73 | Accurate viscosity predictions of SiO ₂ -Al ₂ O ₃ -CaO-MgO(CaO/SiO ₂ <0.28) ferrochromium-making slags | Y.Toda | • | | • | 794 |
| 74 | 4 Equations for accurate viscosity predictions of magmatic silicate melts | N.Sakamoto | • | | • | 795 |
| 7 | 5 Equation for accurate viscosity predictions of molten waste disposal slags (including incineration ash and RDF slags) | T.Iida | • | • | • | 796 |
| 76 | S Viscosities of CaO-Fe ₂ O ₃ -M _x O _y (M _x O _y =Al ₂ O ₃ ,SiO ₂) slags | N.Hori | • | • | • | 797 |
| 7 | 7 Viscosity behavior of molten Fe-Co binary alloy | Y.Sato | • | • | • | 798 |
| 78 | The role of F on structure of molten slags | H.Urata | • | | • | 799 |
| 79 | Structural analysis of the slag by solid state multinuclear NMR | K.Kanehashi | • | | • | 800 |
| 80 | Measurement of the density of liquid Ni-W alloy by a modified sessile drop method | L.Fang | • | • | • | 801 |
| 8 | The behavior of motion of dendritic inclusions | S.Niwa | • | • | • | 802 |
| 82 | Numerical modeling of fragmentation of columnar dendrite and remelting of equiaxed nuclei | H.Harada | • | • | • | 803 |
| 83 | B Effects of immersion and vibration of several kinds of refractory | K.Isobe | • | • | • | 804 |
| 84 | 4 Gravitational field as a tool for solidification control | M.Kudoh | • | • | • | 805 |
| 8 | 5 Ultrasonic vibration as a tool for refinement of the solidification structure | Y.Osawa | • | | • | 806 |
| 86 | Application of the simultanious imposition of static and alternative magnetic fields for solidification processing | H.Yasuda | • | • | • | 807 |
| 87 | 7 Effect of intense electric field on the creation of metallic oxides | T.Kozuka | • | • | • | 808 |
| 88 | Interactions of inclusion with slag in steel refining process | H.G.Lee | • | • | • | 809 |
| 89 | Improvement on desulfurization efficiency of molten iron with magnesium vapor produced in-situ by aluminothermic reduction of magnesium oxide | J.Yang | • | • | • | 812 |
| 90 | Interfacial phenomena between gas, liquid iron and sold lime during desulfurization | J.Lee | • | • | • | 816 |
| 9 | I Equilibrium relation of two liquid CaO-MgO-Fe₁O-P₂O₅ slag phases saturated with (Mg,Fe)O | T.Tamura | • | • | • | 817 |
| 92 | 2 Effects of Mn,Cu and Mo on the rate of nitrogen dissolution in molten iron | H.ONakazato | • | • | • | 821 |
| | 3 Grade transition during continuous casting | J.K.Yoon | • | • | • | 825 |
| 94 | The steel flow control system in caster mold by traveling magnetic field | M.Nakada | • | • | • | 829 |
| | 5 Electromagnetic casting for high quality of continuously cast steel | M.Tani | • | • | • | 831 |
| | Flow control in continuous slab-casting mold by F index obtained through mathematical simulation | X.Wang | • | • | • | 835 |
| 97 | 7 Development of swirling flow immersion nozzle for round billet and slab caster | Y.Tsukaguchi | • | • | • | 839 |
| | B Estimation of meniscus profile by mold temperature measurements in continuous casting of steel slabs | A.Yamauchi | • | • | • | 843 |
| 99 | Powder properties of Marra Mamba type fine ores(Characteristics of Marra Mamba type iron ore-2) | Y.Hida | • | • | • | 844 |
| 100 | O Zone wise metallurgical characteristics of Marra Mamba type fine ores (Characteristics of Marra Mamba type iron ore-3) | Y.Hida | • | • | • | 845 |
| | Estimation of magnetite content in laterite ore by magnetic measurements | H.Purwanto | • | | • | 846 |
| | | | | | | |

| 102 | Upgrading of laterite ore by magnetic separation | H.Purwanto | | | | 847 |
|-----|--|-------------------------|---|---|---|------------|
| 103 | Adhesion behavior of fine particles during granulation of iron-ore sintering mixture. | M.Nakano | | | | 848 |
| 104 | An experimental investigation of granulation behavior of iron ore fines in a commercial drum mixer | Y.Watanabe | | | | 849 |
| 105 | Effect of limestone distribution in the quasi-particle on sinter quality | N.Oyama | | | | 850 |
| 106 | Pallet width extension of Chiba No.4 sinter plant | T.Kajinami | | | | 851 |
| 107 | Effect of paper sludge adding condition on permeability of ore bed (Development of new granulation method adding the paper sludge-2) | T.Matsumura | • | | | 852 |
| | Improvement of pellets properties by porosity formation control using paper sludge | K.Morioka | | | | 853 |
| | Enhancement of sinter strength under the condition of high productivity and high ratio of pisolitic ores at Kimitsu Works | Y.Tsubone | | | | 854 |
| | | Y.Takano | | _ | _ | |
| | Membership function concerning baking progress degree | | • | • | | 855 |
| | Simulation of dioxin formation patterns on sintering process Behavior of mixture of pulverized coal differs in properties | J.Shibata K.Kunitomo | • | • | | 856 857 |
| | | T.Nishimura | | | | 858 |
| | Numerical analysis of effect of pulverized coal properties on combustion behavior (Analysis of combustion behavior of pulverized coal mixture and effect of coal brand-2) | | | | | |
| | Enhancement of combustion efficiency of agglomerated waste plastics injected into blast furnace | R.Murai | • | • | • | 859 |
| | Numerical analysis on effect of humidified blasting on blast furnace operation | M.Chu | • | • | • | 860 |
| | Conservation of coking coal and high rate of power generation in iron and steel works | I.Ooka | • | • | • | 861 |
| | Effect of solution loss reaction on coke degradation under shear stress | M.Takatoku | | • | | 862 |
| | Numerical analysis on effect of particle properties on static powder holdup in blast furnace | S.Pintowantoro | • | • | • | 863 |
| | Behavior of MgO near raceway and dead man and its influence on desulfurization | M.Ichida | • | • | • | 864 |
| | Estimation of liquid level shapes, residual amount of slag and metal in blast furnace hearth | K.Nishioka | | • | • | 865 |
| | High productivity and low fuel rate operation at Kimitsu No.3 blast furnace | G.Tashiro | • | • | • | 866 |
| | Utilization of large amount of small sized sinter under the high pulverized coal injection | T.Imaizumi | • | • | • | 867 |
| | Blow-in operation of Kokura No.2 blast furnace | M.Mizuno | | • | | 868 |
| | Behavior of stress field in Kokura No.2 blast furnace during filling and blow-in | T.Inada | • | • | • | 869 |
| | Revamping of Mizushima No.4 blast furnace | S.Hirose | • | • | • | 870 |
| | Repair of dome connection pipe for hot stove | M.Takeshita | • | • | • | 871 |
| | Deformation of imported silica bricks on high temperature | A.Kasai | • | • | • | 872 |
| | Effect of hot metal temperature and rotation speed on the rate of desulfurization by mechanical stirring process(Establishment of high efficient hot metal pretreatment process-1) | N.Kikuchi | • | • | • | 873 |
| 129 | Construction of hot metal desulfurization equipment by mechanical stirring in Chiba Works (Establishment of high efficient hot metal pretreatment process-2) | T.Kamiyama | • | • | • | 874 |
| 130 | Development of high efficient hot metal desulfurization technology in Chiba Works (Establishment of high efficient hot metal pretreatment process-3) | T.Yamauchi | • | • | • | 875 |
| | Hot metal ladle desulfurization with snorkel by CaO-Mg flux injection | T.Washizu | | | | 876 |
| 132 | Effect of slag composition on the dissolution rate of sintered lime | N.Sasaki | | | | 877 |
| 133 | The rate of desulfurization of high carbon iron melt by CaO powder | I.Shimoda | | | | 878 |
| | Prevention of resulfurization in the desulfurization process of molten iron with Mg vapor produced in-situ by MgO-Al reaction | J.Yang | | | | 879 |
| | MgO-Al reaction Effects of mold thickness and density difference on mold powder entrapment around immersion nozzle | J.Yoshida | | | | 880 |
| | Effects of density and diameter of fine particles on falling behavior in liquid | A.Hirayama | | | | 881 |
| | Water model experiment on the removal of slag through wettability effect | T.Kinjyo | | | | 882 |
| | | K.Ishiguro | | | | 883 |
| | Gas-liquid separation method by wettability(Wettability effect on the flow pattern of downward gas-liquid two-phase flows in vertical circular pipe) | · · | | | | |
| | Capillary interaction between solid inclusion particles on steel melt surface | H.Hasegawa | • | • | • | 884 |
| | Behavior of immiscible two liquid layers contained in cylindrical vessel suddenly set in rotation | T.Sugimoto | • | • | • | 885 |
| | Effect of board on agitation efficiency of refining process | S.Yamashita | • | • | • | 886 |
| | Three-dimensional analysis of waste heat recovery to steel scrap preheating in continuous casting process | T.Wang | • | • | • | 887 |
| | Gas-liquid mass transfer coefficient for bubbling jet in low gas flow rate regime | T.Kumagai | | • | | 888 |
| | Acoustic cavitation induced micro mixing | M.Furukawa | • | | • | 889 |
| | Design of immersion nozzle taking account of non-spherical bubble formation for supplying metal vapor | Y.Kobayashi | • | | • | 890 |
| | Increase of NO reduction efficiency by sonoprocessing of high temperature exhaust gas | S.Nemeth | | • | | 891 |
| | Melting and solidification of Al-base alloys on niobium substrate | K.Matsuura | | | | 892 |
| | Solidification of Sn-Ag binary eutectic alloys Growth model of two-phase cellular/dendritic eutectic in a ternary alloy | H.Esaka T.Himemiya | | | | 893 894 |
| | The analysis of the solidification process of abrasion resistant Cr-V cast iron by the use of Thermo-Calc | K.Yamamoto | | | | 895 |
| | | T.Okane | | | | 896 |
| | Interface temperature measurements of eutectic carbides solidified in Fe-M-C(M:Cr,V,Mo) system and an application for prediction of eutectic microstructure selection | | | | | |
| | Refinement of columnar grain by phosphorus in continuously cast 0.1 mass% carbon steel | N.Yoshida | • | • | • | 897 |
| 153 | Development of swirling blade in nozzle for continuous casting (Effect of reducer on the suppression of uneven flow) | S.Takagi | • | • | • | 898 |
| | | | | | | |

| | T.I |
|---|--|
| 154 Condition of clogging of swirling flow immersion nozzle on field tests | T.Harada ••• 899 |
| 155 Influence of solute content on entrapment of particles by the solidifying interface in continuof steel | ous casting M.Zeze · · · 900 |
| 156 Effects of S and N on surface tension of liquid Fe-16mass%Cr alloy and its wettability with | alumina Z.Li · · · 901 |
| 157 Direct observation of solidifying front shape around inclusions by using X-ray imaging | H.Yasuda · · · 902 |
| 158 Effect of molten steel flow on distribution of pinhole defects in surface region of slab | T.Miyake • • • 903 |
| Social Engineering of Iron and Steel Ind | netry |
| Lecture No. Title | Speaker Page |
| Plenary Session | Speaker |
| 159 Research on suppression of hot shortness due to Cu and promotion of recycling of steel | K.Shibata · · · 906 |
| 160 Functionally graded eco-coating for steels | T.Suzuki · · · 907 |
| , , | r-value and W.Tamaki · · · 908 |
| 161 Application of an electro-deposition method to produce iron sheets with an extremely high discussion on scrap recycle | |
| 162 Research project on material processing based on utilization of scrap steel | K.Nagai ••• 909 |
| 163 Analysis of a restriction factor of steel scrap recycling for the sustainable development socie | |
| 164 History of steel production and estimate of steel supply uses(History of domestically general | |
| 165 Estimate on domestic market place scrap generation origin(History of domestically generated | |
| 166 Estimate on domestic ferro scrap generation by origin and original production process (History of domestically generated scrap-3) | S.Hayashi • • • 913 |
| 167 Inter-linkages between different industries for a recycle based society | T.Nakamura • • • 914 |
| 168 Life cycle analysis of feedstock recycling of waste plastics in the steel industry | M.Hirao • • • 915 |
| 169 Use technology for fluoro-nitric acid cascade with washing chemicals and its evaluation with methohology | n LCA T.Suginaka · · · 916 |
| 170 Reduction of CO ₂ emission by coal based direct reduction process | H.Sugitatsu · · · 917 |
| 171 Effect of dust diameter on collective characteristics of coke bed filter | S.Okabe • • • 918 |
| 172 Market environment of an electric furnace company, and business analysis | K.Oki ••• 919 |
| | |
| Current Advance in Materials and Process, Vo | 01.13,110.3 |
| | |
| Instrumentation, Control and System Engir | neering |
| Lecture No. Title | Speaker Page |
| Plenary Session | |
| | |
| 173 Development of flaw discrimination technique using ultrasonic testing | Y.Ueda · · · 922 |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance | M.Yoshida • • • 923 |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking | |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking | M.Yoshida • • • 923 |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data | M.Yoshida · · · 923 T.Yamasaki · · · 924 |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) | M.Yoshida · · · 923 T.Yamasaki · · 924 T.Shibuta · · 925 T.Shibuta · · 926 |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) | M.Yoshida |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method expressions) | M.Yoshida |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al. (Control of periodic mold level fluctuation with frequency variation in continuous caster) | M.Yoshida |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al. Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor | M.Yoshida |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al. Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling | M.Yoshida |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al.) 180 Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling 183 Run out table,down coiler,coil yard consistency shape prediction simulator | M.Yoshida |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al. Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling 183 Run out table,down coiler,coil yard consistency shape prediction simulator 184 Optimal scheduling system of a continuous annealing line | M.Yoshida |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al.) 180 Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling 183 Run out table,down coiler,coil yard consistency shape prediction simulator | M.Yoshida |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al.) 180 Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling 183 Run out table, down coiler, coil yard consistency shape prediction simulator 184 Optimal scheduling system of a continuous annealing line 185 Development of the steam-heated natural gas pressure reducing and heating equipment for thermal power plant | M.Yoshida |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al.) 180 Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling 183 Run out table,down coiler,coil yard consistency shape prediction simulator 184 Optimal scheduling system of a continuous annealing line 185 Development of the steam-heated natural gas pressure reducing and heating equipment for | M.Yoshida |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al. Control of periodic mold level fluctuation with frequency variation in continuous caster 180 Synchronous learning algorithm for both time-variant and rolling conditional factor 181 Human model for gain tuning of looper control in hot strip rolling 182 Run out table,down coiler,coil yard consistency shape prediction simulator 183 Optimal scheduling system of a continuous annealing line 185 Development of the steam-heated natural gas pressure reducing and heating equipment for thermal power plant Production and Utilization Technolog | M.Yoshida |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al. Control of periodic mold level fluctuation with frequency variation in continuous caster 180 Synchronous learning algorithm for both time-variant and rolling conditional factor 181 Human model for gain tuning of looper control in hot strip rolling 182 Run out table,down coiler,coil yard consistency shape prediction simulator 183 Run out table,down coiler,coil yard consistency shape prediction simulator 184 Optimal scheduling system of a continuous annealing line 185 Development of the steam-heated natural gas pressure reducing and heating equipment for thermal power plant Production and Utilization Technolog Lecture No. Title | M.Yoshida |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al.) 180 Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling 183 Run out table,down coiler,coil yard consistency shape prediction simulator 184 Optimal scheduling system of a continuous annealing line 185 Development of the steam-heated natural gas pressure reducing and heating equipment for thermal power plant Production and Utilization Technolog Lecture No. Title Plenary Session | M.Yoshida |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al.) 180 Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling 183 Run out table,down coiler,coil yard consistency shape prediction simulator 184 Optimal scheduling system of a continuous annealing line 185 Development of the steam-heated natural gas pressure reducing and heating equipment for thermal power plant Production and Utilization Technolog Lecture No. Title Plenary Session 186 Construction of medium size seamless pipe mill at Wakayama Works | M.Yoshida T.Yamasaki T.Yamasaki T.Shibuta T.Sh |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al. 2000 Control of periodic mold level fluctuation with frequency variation in continuous caster 180 Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling 183 Run out table,down coiler,coil yard consistency shape prediction simulator 184 Optimal scheduling system of a continuous annealing line 185 Development of the steam-heated natural gas pressure reducing and heating equipment for thermal power plant Production and Utilization Technolog Lecture No. Title Plenary Session 186 Construction of medium size seamless pipe mill at Wakayama Works 187 Development of information and control systems for medium size seamless pipe mill | M.Yoshida T.Yamasaki T.Yamasaki T.Shibuta T.Sh |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al. Ontrol of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling 183 Run out table, down coiler, coil yard consistency shape prediction simulator 184 Optimal scheduling system of a continuous annealing line 185 Development of the steam-heated natural gas pressure reducing and heating equipment for thermal power plant Production and Utilization Technolog Lecture No. Title Plenary Session 186 Construction of medium size seamless pipe mill at Wakayama Works 187 Development of information and control systems for medium size seamless pipe mill 188 Outline of process control systems for medium size seamless pipe mill 189 Investigation of reeler plug welded cermet materials by PTA process 190 Measurement and analysis of plastic deformation characteristics of steel pipes using a servo | M.Yoshida T.Yamasaki T.Yamasaki T.Shibuta T.Sh |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al. Ontrol of periodic mold level fluctuation with frequency variation in continuous caster 180 Synchronous learning algorithm for both time-variant and rolling conditional factor 181 Human model for gain tuning of looper control in hot strip rolling 183 Run out table,down coiler,coil yard consistency shape prediction simulator 184 Optimal scheduling system of a continuous annealing line 185 Development of the steam-heated natural gas pressure reducing and heating equipment for thermal power plant Production and Utilization Technolog Lecture No. Title Plenary Session 186 Construction of medium size seamless pipe mill at Wakayama Works 187 Development of information and control systems for medium size seamless pipe mill 188 Outline of process control systems for medium size seamless pipe mill 189 Investigation of reeler plug welded cermet materials by PTA process 190 Measurement and analysis of plastic deformation characteristics of steel pipes using a servo testing machine | M.Yoshida T.Yamasaki T.Yamasaki T.Shibuta T.Sh |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al. 2) 180 Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling 183 Run out table,down coiler,coil yard consistency shape prediction simulator 184 Optimal scheduling system of a continuous annealing line 185 Development of the steam-heated natural gas pressure reducing and heating equipment for thermal power plant Production and Utilization Technolog Lecture No. Title Plenary Session 186 Construction of medium size seamless pipe mill at Wakayama Works 187 Development of information and control systems for medium size seamless pipe mill 188 Outline of process control systems for medium size seamless pipe mill 189 Investigation of reeler plug welded cermet materials by PTA process 190 Measurement and analysis of plastic deformation characteristics of steel pipes using a servo testing machine 191 Effects of material properties on tube hydroforming | M.Yoshida T.Yamasaki T.Yamasaki T.Shibuta T.Shibuta P26 M.Ito P27 S.Matsuzaki P28 H.Kitada P29 A.Yamane S.Imajo S.Imajo P31 H.Ogai P32 N.Kawai P33 M.Ito P34 T.Speaker Page T.Egoshi N.Ishihara P36 T.Egoshi P18 T.Egoshi P37 T.Kuwabara P38 S.Sakamoto P39 |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al. 2) 180 Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling 183 Run out table, down coiler, coil yard consistency shape prediction simulator 184 Optimal scheduling system of a continuous annealing line 185 Development of the steam-heated natural gas pressure reducing and heating equipment for thermal power plant Production and Utilization Technolog Lecture No. Title Plenary Session 186 Construction of medium size seamless pipe mill at Wakayama Works 187 Development of information and control systems for medium size seamless pipe mill 188 Outline of process control systems for medium size seamless pipe mill 189 Investigation of reeler plug welded cermet materials by PTA process 190 Measurement and analysis of plastic deformation characteristics of steel pipes using a servo testing machine 191 Effects of material properties on tube hydroforming 192 Effect of r-value on formability of ERW tubes in hydroforming | M.Yoshida T.Yamasaki T.Yamasaki T.Shibuta T.Sh |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method) 180 Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling 183 Run out table,down coiler,coil yard consistency shape prediction simulator 184 Optimal scheduling system of a continuous annealing line 185 Development of the steam-heated natural gas pressure reducing and heating equipment for thermal power plant Production and Utilization Technolog Lecture No. Title Plenary Session 186 Construction of medium size seamless pipe mill at Wakayama Works 187 Development of information and control systems for medium size seamless pipe mill 188 Outline of process control systems for medium size seamless pipe mill 189 Investigation of reeler plug welded cermet materials by PTA process 190 Measurement and analysis of plastic deformation characteristics of steel pipes using a servo testing machine 191 Effects of material properties on tube hydroforming 192 Effect of r-value on formability of ERW tubes in hydroforming of rectangular cross section) | M.Yoshida T.Yamasaki T.Yamasaki T.Shibuta T.Shibuta P26 M.Ito P27 S.Matsuzaki P28 H.Kitada P29 A.Yamane P30 S.Imajo P31 H.Ogai P32 N.Kawai P33 Combined-cycle M.Ito Speaker Page T.Egoshi N.Ishihara P34 T.Egoshi Page |
| 174 Assesment of thickness of clad steels using electromagnetic acoustic resonance 175 Quality assurance system by detects marking 176 The sensitivity analysis of control factors for the reactor furnace by a macro-model (Control of gas flow in the reactor furnace-1) 177 The estimation of inner furnace state using boundary data (Control of gas flow in the reactor furnace-2) 178 Development of the visualizing system of blast furnace process data-1(Visualizing method) 179 Development of the visualizing system of blast furnace process data-2(Visualizing method et al. 2) 180 Control of periodic mold level fluctuation with frequency variation in continuous caster 181 Synchronous learning algorithm for both time-variant and rolling conditional factor 182 Human model for gain tuning of looper control in hot strip rolling 183 Run out table, down coiler, coil yard consistency shape prediction simulator 184 Optimal scheduling system of a continuous annealing line 185 Development of the steam-heated natural gas pressure reducing and heating equipment for thermal power plant Production and Utilization Technolog Lecture No. Title Plenary Session 186 Construction of medium size seamless pipe mill at Wakayama Works 187 Development of information and control systems for medium size seamless pipe mill 188 Outline of process control systems for medium size seamless pipe mill 189 Investigation of reeler plug welded cermet materials by PTA process 190 Measurement and analysis of plastic deformation characteristics of steel pipes using a servo testing machine 191 Effects of material properties on tube hydroforming 192 Effect of r-value on formability of ERW tubes in hydroforming | M.Yoshida T.Yamasaki T.Yamasaki T.Shibuta T.Sh |

| 195 Simplified models for understanding tube hydroforming | A.Shirayori | • • • 983 |
|--|-------------|------------|
| 196 Finite element simulation of hammering hydroforming of tubes | K.Mori | • • • 984 |
| 197 3-D FEM analysis for endless stretch reducing of seamless pipe | H.Yoshimura | • • • 985 |
| 198 Deformation analysis of a three-roll reducing mill | T.Okui | • • • 986 |
| 199 Deformation analysis for blanking of tube | Y.Yoshida | • • • 987 |
| 200 Effect of solidification mode on reheat embrittlement of high strength low alloy weld metal | Y.Arai | • • • 988 |
| 201 Analytical approach to the behavior of reverse transformation assisted by adiabatic heating due to deformation | M.Miyake | • • • 989 |
| 202 Effect of initial austenite grain size on the dynamic recrystallization behaviors of titanium added low carbon steel | N.Kageyama | • • • 990 |
| 203 The improvement of spindle characteristics in continuous galvanizing line | Y.H.Kim | • • • 991 |
| 204 Development of component materials of work roll for CGL | Y.Hirota | • • • 992 |
| 205 Simulation of descaling conditions based on chemical reactor theory in descaling plants | K.Mabuchi | • • • 993 |
| 206 High perfomance high speed steel roll with fine microstructure for resistance to surface deterioration | Y.Tsujimoto | • • • 994 |
| 207 Development of centrifugal cast HSS roll with excellent surface deterioration resistance in hot strip mill | K.Ichino | • • • 995 |
| 208 Superior structural mill roll materials in wear resistance | R.Tsuji | • • • 996 |
| 209 Application of high speed steel and special alloy steel for unequilateral large angle roll | A.Noda | • • • 997 |
| 210 Development of super Ni-Gr.cast iron roll | Y.Konno | • • • 998 |
| 211 Application of composite type tungsten carbide rolls to severe thermal condition rolling | T.Hattori | • • • 999 |
| 212 Development of HSS-cermet roll by mechanical-alloying | M.Ayagaki | • • • 1000 |
| 213 Ultra coarse grain carbide rolls | I.Emaki | • • • 1001 |
| 214 Development of cold rolling work roll with high tribological performance | Y.Jimbo | • • • 1002 |
| 215 Improvement of spalling resistance of plate mill backup roll | Y.Ohkomori | • • • 1003 |
| 216 Influence of process parameters on deformation of surface V shape defect in plate rolling | Y.Yoshida | • • • 1004 |
| 217 Deformation analysis for surface defects in plate rolling | N.Yukawa | • • • 1005 |
| 218 Simulation of generation process of seam defects in plate rolling | N.Yukawa | • • • 1006 |
| 219 FEM simulation on side-surface bulge profile of plate (Prediction of side-surface bulge profile of plate product-1) | S.Fukushima | • • • 1007 |
| 220 In-line heating in the hot strip mill | T.Minote | • • • 1008 |
| 221 Replacement of the main motors in hot strip mill at Mizushima works | S.Nonaka | • • • 1009 |
| 222 Mechanism of roller levelling | M.Ataka | • • • 1010 |
| 223 Friction behavior of lubricant pre-coated steel in ironing process | K.Nishimoto | • • • 1011 |
| 224 Friction behavior of lubricant pre-coated steel in deep drawing process | W.Zhrwang | • • • 1012 |
| 225 FEM analysis of contact mechanism in press forming of lubricant pre-coated steel | T.Obika | • • • 1013 |
| 226 A simple measurement method of oil amounts in Emulsion lubricants | Y.Fujioka | • • • 1014 |
| Current Advance in Materials and Process, Vol.15, No.6 | | |

Microstructure and Properties of Materials

| Lecture | No. Title | Speaker | | F | Page | e |
|-------------|---|---------------|---|---|------|------|
| Plenary | Session | | | | | |
| 227 D | evelopment of Si,Mn bearing high-tensile galvanized sheet steel with excellent coating properties | Y.Suzuki | • | • | • | 1123 |
| 228 Ir | offluence of steel surface oxidation state on galvannealing rate of P added galvanized steel sheet | N.Fujibayashi | • | • | • | 1124 |
| 229 N | lechanisms of crack occurrence in galvannealed coating | T.Masuda | • | • | • | 1125 |
| 230 A | tmospheric corrosion characteristics of hot-dip Zn-6%Al-3%Mg alloy coated steel sheet | T.Shimizu | • | • | • | 1126 |
| 231 C | orrosion product of iron formed on aluminized steel sheets | J.Maki | • | • | • | 1127 |
| 232 Ir | nprovement of susceptibility to spalling of CGL roll steel | T.Tsubota | • | • | • | 1128 |
| 233 T | he condition of HIC occurrence of X65 grade linepipes in sour environments | T.Hara | • | • | • | 1129 |
| 234 Ir | offluence of sea salt particle size and environmental factors for simulation of corrosive environment | H.Katayama | • | • | • | 1130 |
| 235 C | bservation of rusts formed on 3%Ni-added air-born salinity weathering steel | M.Kimura | • | • | • | 1131 |
| 236 N | ew weathering steel with surface treatment suppresses outflow rust and inhibits the entry of CI ⁻ ions (New urface treatment for promoting protective rust formation on weathering steels-5) | T.Komori | • | • | • | 1132 |
| 237 C | ompatibility tests between molten salts and metals | Y.Kuriki | • | • | • | 1133 |
| 238 E (0 | ffect of salt composition on corrosion behavior of SUS310S stainless steel to molten salts Corrosion resistance of stainless steels in waste incineration environment-4) | Y.Nishida | • | • | • | 1134 |
| 239 E | ffects of AI and Si addition on high temperature corrosion of Ni-based cast alloys | S.Ueta | • | • | • | 1135 |
| 240 C | rystallography of bainite structure in low carbon steel | Y.Shinohara | • | • | • | 1136 |
| 241 T in | he formation of intragranular bainite in high strength steel welds and the mechanism of toughness nprovement thereof | Y.Shinohara | • | • | • | 1137 |
| 242 C | haracterization of nucleation site of intra-granular bainite in high strength steel welds | G.Shigesato | • | • | • | 1138 |

| 243 Effect of carbon and nickel contents on dislocation structure in ferrous lath martensite | J.Nishikawa | • • • | 1139 |
|---|----------------------|-------|------|
| 244 Effect of ultra grain refining on martensitic transformation in a meta-stable austenitic steel | K.Fukunaga | | 1140 |
| 245 Ferrite formation on intragranular MnS in ingot casting microalloyed steel | J.Yin | | 1141 |
| 246 Quantitative analyses of effects of Ti-oxides on formation of ferrite in HAZ of steels | A.Yudate | | 1142 |
| 247 Effects of grain boundaries and their character on / phase transformation in Fe-Cr alloy | K.Obara | | 1143 |
| 248 Variant selection of ferrite transformed transgranularly from work-hardened austenite | Y.Adachi | | 1144 |
| 249 Grain size of proeutectoid ferrite transformed from fine grained austenite in Fe-1.5Mn-0.2C alloys | H.Saito | | 1145 |
| 250 Thickness of pancake controlling the size of transformed from deformed | S.Torizuka | | 1146 |
| 251 Evolution of fine ferrite structure in continuously cast 0.1mass%C steel with 100mm-thickness | T.Yamashita | | 1147 |
| 252 Austenite grain refinement by repeated cycles of austenitizing and quenching | K.Kikumoto | | 1148 |
| 253 Evolution of ultrafine-grained structure through large strain-high Z deformation in a low carbon steel | A.Ohmori | | 1149 |
| 254 Ferrite grain refinement through diffusion induced recrystallization | Y.Adachi | | 1150 |
| 255 Mechanism of recrystallization nuclei formation in polycrystalline -Fe analyzed with high resolution EBSP | T.Imamura | | 1151 |
| 256 Effect on microalloy elements on austenitic grain growth behavior after dynamically recrystallization in as-cast HSLA steels | N.Fujita | | 1152 |
| | V Inakuti | | 1153 |
| 257 Color mapping by EBSD method of twin morphology formed on Goss single crystal of silicon steel 258 Toughness of ultrafine grained ferritic steels | Y.Inokuti N.Tsuji | | |
| | • | | 1154 |
| 259 Temperature dependence of mechanical properties in ultra fine-grained iron fabricated through mechanical milling | K.Kawasaki | • • • | 1155 |
| 260 Ferrite grain refinement by SIDT rolling in low carbon steel | D.H.Seo | • • • | 1156 |
| 261 Fatigue property of ultrafine-grained steel | H.Miyata | | 1157 |
| 262 Effect of microstructure on fatigue crack initiation and propagation behavior in ultrafine-grained steel | K.Tanaka | • • • | 1158 |
| 263 Neutron diffraction study on work-hardening of a fine-grained ferrite-pearlite steel | T.Ono | | 1159 |
| 264 Effect of boron on microstructure and toughness of simulated HAZ in low carbon bainitic steel | H.Hatano | | 1160 |
| 265 Effect of chromium and molybdenum on hardenability of boron added steel | S.Nozu | | 1161 |
| 266 Effect of boron on corrosion reaction and susceptibility to hydrogen embrittlement in steels | S.Komazaki | • • • | 1162 |
| 267 Effect of molybdenum on hardenability improvement by boron addition | H.Asahi | • • • | 1163 |
| 268 Effect of B or BN on material properties of free cutting steel containing BN inclusions (Development of free cutting steel without lead-4) | T.Murakami | | 1164 |
| 269 Effect of boron on penetration of Cu liquid phase into austenite grain boundaries in steel | C.Nagasaki | | 1165 |
| 270 Effect of B on creep behavior in 9%Cr steel | M.Mikami | | 1166 |
| 271 Effect of boron on stress accelerated grain boundary oxidation(SAGBO) of modified incoloy 908 alloy | K.Asakura | | 1167 |
| 272 Effects of nitrogen in 9Cr-3W-3Co ferritic heat resistant steels containing boron | E.EI-Kashif | | 1168 |
| 273 Grain boundary segregation of boron in interstitial free steels containing phosphorous | E.EI-Kashif | | 1169 |
| 274 Effect of heat treatment on microstructure and hardness of Ni-38Cr-3.8Al alloy | N.Takahata | | 1170 |
| 275 Effect of heat treatment on mechanical properties of Ni-based superalloy with low thermal expansion | S.Ueta | | 1171 |
| 276 Effects of chemical compositions on precipitation behavior of type 316 stainless steels | D.Takahashi | | 1172 |
| 277 Precipitation of Fe,Nb Laves phase in Fe-Cr-Ni-Nb austenitic heat resisting steels | S.Morita | | 1173 |
| 278 Creep at low stresses in Ni-20Cr alloy single crystal with [001] orientation | T.Tokumoto | | 1174 |
| | N.Miura | | 1175 |
| 279 Relations between dislocation substructure and tensile directions in single crystal Ni-based superalloy, CMSX-2, crept at 1273K-130MPa(on [001]-[011] line) | | | |
| 280 Effect of recovery heat treatment on creep properties of pre-crept ODS alloy, MA754 | N.Harada | | 1176 |
| 281 Stress exponent of the minimum creep rate and activation energy of creep of oxide dispersion strengthen Ni-based superalloy,MA754,under low stresses | | • • • | 1177 |
| 282 Environmental factors affecting the corrosion resistance of zinc coated steel sheets for automotive and residential applications | D.Thierry | | 1178 |
| 283 Corrosion behavior of Zn-coated steel under cyclic wet and dry condition | A.Nishikata | | 1182 |
| 284 Characterization of corrosion and corrosion susceptibility of metallic surfaces by scanning kelvin probe force microscopy | G.S.Frankel | | 1185 |
| 285 Electrochemical properties of corrosion products on Zn | S.Fujimoto | | 1189 |
| 286 Role of zinc corrosion products on corrosion inhibition of galvanized steels | T.Tsuru | | 1192 |
| 287 Properties of protective oxides on metals(Solubility,ion permeability,and electron conductivity) | H.Tamura | | 1195 |
| 288 Formation sequence to simonkollite during atmospheric corrosion of zinc by raman spectroscopy | T.Ohtsuka | | 1197 |
| 289 Initial stage of localized corrosion of Zn-Al alloy coated steel by laser depassivation in aggressive anion | M.Sakairi | | 1199 |
| containing solutions 290 Fundamental studies of cut edge corrosion on galvanized steel | K.Ogle | | 1201 |
| 291 Recrystallization in a cold rolled (211)<011> single crystal of Fe-3%Si alloy | S.Nakamura | | 1204 |
| 292 Effect of sheet thickness on secondary recrystallization in grain oriented silicon steel | Y.Ushigami | | 1205 |
| 293 Improvement of magnetic properties of grain oriented electrical steel by chromium plating | H.Yamaguchi | | 1206 |
| 294 Effect of REM addition on grain growth behavior of non-oriented electrical steel sheets | M.Kohno | | 1207 |
| 295 The effect of Sb on magnetic properties of ultra low sulfur non-oriented electrical steel sheets | Y.Oda | | 1208 |
| | | | |

| 296 | Magnetization behavior of tension band for CRT | T.Hiratani | | 1209 |
|-----|--|---------------------|-------|--------------|
| 297 | Magnetic properties and microstructures of Fe-Cr-C-Ni-X(X=AI,Si) alloys | S.Yokoyama | | 1210 |
| 298 | Hot-ductility of PC permalloy | T.Inoue | | 1211 |
| 299 | Nanocrystallization in carbon steels by ball drop processing | Y.Todaka | | 1212 |
| 300 | Nanocrystallization behavior of carbon steels by particle impact method | T.Yasuda | | 1213 |
| 301 | Nanocrystallization in carbon steels by high strain rate large deformation | M.Umemoto | | 1214 |
| 302 | Nano grain formation and local partitioning of Cr and Ni at room temperature in a MM processed SUS304L stainless steel | H.Inomoto | | 1215 |
| | Fabrication of steel bar with ultrafine grained structure using hot extrusion of mechanically milled iron powder | S.Sakamoto | | 1216 |
| 304 | Development of hot-rolled steel sheet consisting of single-phase ferrite strengthened by nanometer-sized precipitates (Development of hot-rolled high strength steel with excellent stretch flange formability-1) | Y.Funakawa | | 1217 |
| | precipitates(Development of hot-rolled high strength steel with excellent stretch flange formability-1) Development of 780MPa grade hot-rolled galvannealed steel sheet strengthened by nanometer-sized precipitates(Development of hot-rolled high strength steel with excellent stretch flange formability-2) | T.Shiozaki | | 1218 |
| | Characterization of precipitates in the nano-particle strengthened hot-rolled steel (Development of hot-rolled high strength steel with excellent stretch flange formability-3) | K.Sato | | 1219 |
| | Mechanism of increase in tensile strength induced by strain age hardening in newly developed bake hardenable | S.Kaneko | | 1220 |
| 308 | high strength sheet steel Effect of chemical composition and hot rolling condition on strength and toughness in hot rolled steel sheets | C.Kami | | 1221 |
| | for electric resistance welded pipe | | | |
| 309 | The effect of microstructure of hot band on ductility of TRIP-aided steel sheets with annealed matrix subjected to hot-annealing treatment | T.Kashima | • • • | 1222 |
| | Effects of heat treatment conditions on characteristics of TRIP-aided sheet steels with annealed martensitic matrix | R.Kikuchi | • • • | 1223 |
| 311 | Effect of transformation phenomena during austempering on mechanical properties of 590MPa grade cold-rolled TRIP steel sheet | H.Matsuda | | 1224 |
| 312 | Stretch-formability of YAG laser welded TRIP/DP tailored blanks | A.Nagasaka | | 1225 |
| 313 | Effects of cross rolling on r-values | H.Takatani | | 1226 |
| 314 | Behavior of work hardening of extra-low carbon steel sheet | N.Kariya | | 1227 |
| 315 | Effect of microstructure in the vicinity of grain boundary on mechanical properties in IF high strength steel with fine grain structure | Y.Ono | | 1228 |
| 316 | Effect of microstructure on stretch-flangeability in Dual-Phase type cold-rolled high strength steel sheets | K.Kawamura | | 1229 |
| 317 | Effect of alloy element in steel on anti-secondary working embrittlement of TS 440MPa grade galvannealed steel | T.Iwama | | 1230 |
| | sheet with excellent deep drawability | T Arigo | | 1001 |
| | Effects of test conditions on etching properties of iron-nickel alloy Relation between rupture strength and microstructure of heat resistant steel | T.Ariga M.Tamura | | 1231 1232 |
| | Creep deformation mechanisms of high chromium steels with martensitic lath structure. | F.Yoshida | | 1233 |
| | | H.Semba | | 1233 |
| | Describing of creep curves in 9%Cr martensitic steels with physically-based CDM (Creep modelling of martensitic heat resistant steels-4) | | | |
| 322 | Recrystallization behaviour of iron containing Mo,W or Re as the solid solution, and its simulation based on the phase-field method | T.Kunieda | • • • | 1235 |
| 323 | OIM observation of microstructure in low carbon 9Cr steel | D.Terada | | 1236 |
| 324 | Variation of mobile dislocation density and spacing of precipitates on modified 9Cr-1Mo steel in creep | H.Hayakawa | | 1237 |
| 325 | Microstructural analysis of oxide dispersion strengthened martensitic steels by SEM/EBSP method | T.Koya | | 1238 |
| 326 | Microstructure of Mod.9Cr-Mo steel by internal pressure creep | T.Ito | | 1239 |
| 327 | Evaluation of critical stress for elastic deformation by stress abruptly loading test in high Cr steel | K.Sawada | | 1240 |
| 328 | Creep strength evaluation of ferritic steels from a viewpoint of critical stress for elastic deformation | H.Kushima | | 1241 |
| 329 | Relationship between the positron mean lifetime and B content in 12%Cr heat resistant ferritic steels | Y.Kokuryu | | 1242 |
| 330 | Analysis of creep deformation process of heat resistant steels using positron annihilation lifetime | M.Igarashi | | 1243 |
| 331 | Precipitation sequences during heat treatment in Mod.9Cr-1Mo steel | K.Kimura | | 1244 |
| 332 | Effect of tempering temperature on creep properties in Mod. 9Cr-1Mo steel | K.Suzuki | | 1245 |
| 333 | Change of creep deformation behavior in low-carbon 9Cr steel with increasing tungsten concentration | M.Taneike | | 1246 |
| 334 | Effect of W and Mn on creep properties of Pd added 9Cr steels | H.Okada | | 1247 |
| 335 | Effect of B content on creep behavior in high Cr ferritic steel | K.Sawada | | 1248 |
| | Creep-fatigue interaction of boron added ferritic heat-resisting steels | M.Kimura | | 1249 |
| 337 | An improvement of creep properties of high Cr ferritic steels through heat treatments in the magnetic field | H.Okubo | | 1250 |
| 338 | Change of strength and ductility by strain aging in fine pearlitic steel wires strengthened by drawing | K.Nakamura | | 1251 |
| 339 | Influence of carbide on machinability of high hardness cold work die steel | S.Kurata | • • • | 1252 |
| 340 | Improvement in cutting tool life by AIN deposition on the tool | H.Yaguchi | | 1253 |
| | Non-metallic inclusion and rolling contact fatigue life of aluminium-free bearing steels made in laboratory | Y.Kusano | | 1254 |
| 342 | Effect of retained austenite on fatigue strength of cold work tool steel | D.Yokoi | | 1255 |
| | 10 ¹⁰ -cycle fatigue properties for SUP7 spring steel | T.Abe | | 1256 |
| | High-cycle fatigue properties for modified-ausformed SMn443 steels | Y.Furuya | | 1257 |
| | High-cycle fatigue properties of modified-ausformed steels with V-addition | H.Hirukawa | | 1258 |
| 346 | Evaluation method of hydrogen embrittlement susceptibility for high strength steels with modified local approach considering the effect of hydrogen content distribution | S.Takagi | • • • | 1259 |
| | | | | |

| o 4= | Estado de la telegra de la constante de la con | | | 4000 |
|------|--|--------------|-------|------|
| | Estimation of embrittlement susceptibility by SSRT in a hydrogen-charged steel | S.Terasaki | • • • | 1260 |
| 348 | Application of modified Local Approach considered with the effect of hydrogen content distribution for the evaluation of hydrogen embrittlement susceptibility of high strength steels | S.Takagi | • • • | 1261 |
| 349 | Effect of environmental conditions on delayed fracture of steel containing V and Ti by SSRT | W.Urushihara | | 1262 |
| 350 | Evaluation of susceptibility to environmental degradation of suspension spring steel by CCT-SSRT | T.Tsubota | | 1263 |
| 351 | Effect of solute carbon on hydrogen trapping of dislocations (Analysis of hydrogen trapping in high tensile strength steel-3) | D.Hirakami | | 1264 |
| | Simulation of hydrogen evolution in thermal desorption analysis of hydrogen trap steel (Analysis of hydrogen trapping in high tensile strength steel-4) | D.Hirakami | | 1265 |
| | Hydrogen induced delayed fracture of an ultra fine grained 0.6% oxygen steel with dispersed oxide particles | Y.Kimura | | 1266 |
| 354 | Ductility of hydrogen-charged ultra high strength low alloy TRIP-aided steels | T.Hojo | | 1267 |
| | Influence of environmental temperature on the hydrogen embrittlement sensitivity of high strength maraging steel | K.Kosugiyama | | 1268 |
| 356 | Fabrication of lotus-structured porous iron in nitrogen gas | H.Nakajima | | 1269 |
| 357 | Mechanical properties of lotus-type porous iron | H.Nakajima | | 1270 |
| 358 | Fabrication and mechanical properties of lotus-type porous iron-chromium alloy and stainless steel | T.Ikeda | | 1271 |
| 359 | Evaluation of the interaction energy between nitrogen and substitutional solute atoms in measurements of the Snoek relaxation iron by | H.Numakura | | 1272 |
| | | I I Niitta | | 4070 |
| | Diffusion of Mo in high purity iron | H.Nitta | • • • | 1273 |
| | Self-diffusion in high purity Fe-50Cr and Fe-60Cr alloys | K.Takasawa | • • • | 1274 |
| | Morphology and the coarsening kinetics of MC type carbide in niobium bearing steels | K.Miyata | • • • | 1275 |
| 363 | Effect of matrix microstructure on precipitation of laves phase in Fe-9Cr-4.5W(-Co) alloys | K.Yamamoto | • • • | 1276 |
| 364 | Precipitation behavior of Ti,Mn sulfides in , phases of steel | T.Yamashita | | 1277 |
| 365 | Simulation of Cu precipitation during isothermal aging of Fe-Cu alloys | M.Enomoto | | 1278 |
| 366 | Thermodynamic calculations of phase equilibria between sulfide and solution phase in Fe-Cr-Ni-S system | H.Mitsui | | 1279 |
| 367 | Development of Fe-Ni-Si base shape memory alloys | R.Kainuma | | 1280 |
| 368 | Effects of V content on the toughness of middle carbon martensitic steels | Y.Murota | | 1281 |
| 369 | Influence of initial morphology on the coarsening of two-phase microstructure in Fe-Al-V alloys | T.Maebashi | | 1282 |
| 370 | Mechanical properties of Ti-6Al-4V sprayed coating by low pressure plasma spraying | K.Sonoya | | 1283 |
| 371 | Effect of Mg in phosphate on corrosion resistance | K.Hamahara | | 1284 |
| 372 | Properties of prepainted 55% AI-Zn alloy coated steel sheets with flexible paint films | K.Yoshida | | 1285 |
| | Development of a new PET film laminated TFS with excellent meat release property | Y.Yamanaka | | 1286 |
| | Effects of electric potential at defect and concentration of NaCl for test aqueous solution for cathodic delamination of polyethylene coated steel pipe | M.Murase | | 1287 |
| | Effect of heat treatment at the temperature of (+)phase on microstructure of SUS430 stainless steel | Y.Hideshima | | 1288 |
| | | | | |
| | Effect of Cr content on the relation between r-value and {111 }recrystallization texture of ferritic steel | Y.Yazawa | | 1289 |
| | Effect of cold rolling reduction on mechanical properties of high strength martensitic stainless steels | S.Isozaki | • • • | 1290 |
| | Properties of large-sized duplex stainless steel casting | S.Tanaka | • • • | 1291 |
| | Effects of retained austenite on SSC resistance of martensitic stainless steel | Y.Miyata | • • • | 1292 |
| | Mechanical and corrosion fatigue properties of welded joint of duplex stainless steel plate | T.Matsuda | • • • | 1293 |
| 381 | Microstructure and corrosion resistance of high nitrogen martensitic stainless steels | M.Fujisawa | | 1294 |
| 382 | Biomachining of metals using metabolic reaction-2 | Y.Miyano | | 1295 |
| 383 | Effect of Si,Mn contents on the dissolution behavior of annealed SUS304 stainless steel | T.Matsuhashi | | 1296 |
| 384 | Dissolution behavior of -ferrite in continuously cast slabs of SUS304 during heat treatment | S.Fukumoto | | 1297 |
| 385 | Effect of solidification structure on hot workability of austenitic stainless steel containing 1.1 mass% boron | M.Oikawa | | 1298 |
| 386 | Effect of surface segregation during heating in vacuum on diffusion bonding of heat-resistant stainless steel foils | M.Fukaya | | 1299 |
| | Improvement of thermo-mechanical treatment process for production of superplastic SUS304 | M.Katoh | | 1300 |
| | | T.Manabe | | 1301 |
| | method for biomedical applications | M.Hamasaki | | 1302 |
| | Influences of potential and pH on dissolution of rapidly-strained Ti-6AI-4V in a simulated biological environment | | | |
| | Effect of frictional wear morphology on fretting fatigue characteristics of high workable titanium alloy | J.Takeda | • • • | 1303 |
| | Microstructures at the interface of a plasma-spray coated hydroxyapatite/Ti biomaterial | K.Kitashita | | 1304 |
| | Changes of precipitated phases and general corrosion loss by isothermal aging in Ti-0.5Ni-0.05Ru | K.Takahashi | | 1305 |
| | Surface cleaning technique for titanium roofs and walls | K.Yanagisawa | | 1306 |
| 394 | Improvement of hydrogen absorption property of titanium by AI addition | S.Sakashita | | 1307 |
| 395 | Reduction and deoxidation of titanium oxide using molten salt electrolysis of (CaCl ₂ +CaO) | S.Fukui | | 1308 |
| 396 | Cold workability of 800MPa-class Ti-Fe-O-N based high-strength titanium alloy | H.Fujii | | 1309 |
| 397 | titanium alloy with extra low flow stress comparable to Gr.2 (Microstructural change of high carbon titanium alloy by heat treatment) | S.Kojima | | 1310 |
| 398 | The effect of solution treatment temperature on cold workability of Ti-Fe-Cr-Al alloys | M.Ikeda | | 1311 |
| | • | | | |

| 399 | Fracture characteristics of Ti-4.5Al-3V-2Mo-2Fe conducted with slow furnace cooling from solution treatment temperature in + field | Gunawarman | | • | 1312 |
|-----|---|-------------|-----|-----|------|
| 400 | Heat resistant titanium alloy for mufflers(Ti-1.5%AI) | N.Matsukura | | | 1313 |
| 401 | High cycle fatigue of O phase-based Ti-22Al-27Nb intermetallic alloy | A.Araoka | | | 1314 |
| 402 | Evaluation of impact properties of 9Cr steel by instrumented Charpy test | F.Abe | | | 1315 |
| 403 | Effect of chemical composition on fracture toughness of water quenched 15Cr steel | T.Takenaka | | • | 1316 |
| 404 | Effects of C and N on microstructural stability and creep strength of precipitation strengthened 15Cr steels | Y.Toda | | • | 1317 |
| 405 | Thermal shock cracking properties of Mod.9Cr-1Mo steel and Alloy600 | T.Sato | | • | 1318 |
| 406 | Improvement in steam oxidation resistance of high-Cr ferritic steels by pre-oxidation treatment | H.Kutsumi | | • | 1319 |
| 407 | Production of high Cr ferritic heat resisting steels with decreased Al content | S.Iwasaki | | • | 1320 |
| 408 | Effect of post weld heat treatment on type IV cracking of a high Cr ferritic steel | S.K.Albert | | • | 1321 |
| 409 | Creep rupture behavior of high strength 9% Cr structural weldments | A.Sasada | | • | 1322 |
| 410 | Creep characteristics of Fe-12Ni-5Cr-3Mo carbon-free martensitic alloys | S.Muneki | | • | 1323 |
| 411 | Creep properties of Fe-12Ni-9Co-10W carbon-free martensitic alloys | S.Muneki | | • | 1324 |
| 412 | Change in initial creep rate with temperature for Cr-Mo-V steel | D.Serino | | • | 1325 |
| 413 | Long-term creep rupture strength of 2.25Cr-1.6W-V-Nb steels | N.Komai | | • | 1326 |
| 414 | Effects of size on room temperature deformation of cementite | R.Tokumiya | | • | 1327 |
| 415 | Comparison of properties between the bulk cementite produced by MA-sintering route and cementite in steels | M.Umemoto | • • | • | 1328 |
| 416 | Production of artificial pearlite by superplastic deformation of cementite | Y.Todaka | | • | 1329 |
| 417 | Nanoscopic strength analysis of tempered martensite in low carbon steels | N.Nagashima | | • | 1330 |
| 418 | Low temperature deformation behavior at 10 ³ s ⁻¹ for a ferrite-martensite steel | J.H.Park | | • | 1331 |
| 419 | In situ neutron diffraction experiment during tensile deformation for a TRIP type multi-phase steel | Y.Tomota | | • | 1332 |
| 420 | Improvement of dynamic fracture toughness with nickel addition | T.Tagawa | | • | 1333 |
| 421 | Significance of ductile fracture area on toughness evaluation at beam-to-column connections fractured by full scale shaking table test | E.Takeuchi | | • | 1334 |
| | Process Evaluation and Material Characterization | | | | |
| | re No. Title | Speaker | | Pag | e |
| | ry Session | | | | |
| | Determination of trace elements in high purity molybdenum by solid phase extraction/ICP-MS | S.Hasegawa | • • | • | 1359 |
| 423 | A new FIA methodology utilizing catalytic photometric detection for determination of trace manganese and cobalt in iron and steels without complicated procedures and a great deal of skill | T.Yamane | • • | • | 1360 |
| | Determination of trace oxygen in steel using tin after removing surface oxide by pre-heating | H.Uchihara | | • | 1361 |
| 425 | Analysis of scrapped materials by low-pressure laser-induced plasma emission spectroscopy | H.Matsuta | | • | 1362 |
| 426 | Direct analysis of tramp elements in steel by radio-frequency-powered glow discharge spectrometry associated with bias-current introduction(The application to quantitative determination of tin) | K.Wagatsuma | | • | 1363 |
| | Quantitative analysis of Ca-rich oxide inclusions in steel by galvanostatic electrolysis | S.Kinoshiro | | • | 1364 |
| 428 | A method for evaluating composition of complex inclusions comprising oxides and MnS in Si/Mn/Ti deoxidized steels | H.S.Kim | | • | 1365 |
| | In-situ observation of the formation of Fe-Zn alloys during a galvannealing process | A.Taniyama | | • | 1366 |
| 430 | Rare-earth fluoride soft X-ray absorption | J.Kawai | | • | 1367 |
| 431 | Non-destructive chemical state analysis of trace elements in steel by XAFS | M.Nagoshi | | • | 1368 |
| | | | | | |