

ISIJ and JIM Joint Session

Lecture No.	Title	Speaker	Page
Plenary Session			
J1	Reduction of TiO in molten CaCl ₂	N.Kobayashi	• • • 1349
J2	<i>In-situ</i> neutron diffraction analysis for heterogeneous plastic deformation behavior in α -titanium alloys	S.Morooka	• • • 1350
J3	Friction wear and mechanical properties of titanium alloys added nitrogen	S.Numata	• • • 1351
J4	Surface hardening treatment of titanium in carbonitriding atmosphere	Y.Kawano	• • • 1352
J5	Improvement of ductility for Mo and Fe Modified Ti ₂ AlNb alloy through VGS structure	S.Emura	• • • 1353
J6	Improvement of room and high temperature tensile properties of (O+B2)-type Ti ₂ AlNb-based alloy by microstructural modification	T.Kitaura	• • • 1354
J7	Effect of B addition and heat treatment on microstructure and tensile property of (O+ α_2)-type Ti-27.5Al-13Nb alloy	T.Sata	• • • 1355
J8	Designing of titanium materials and effective due to addition of nitrogen	Y.Tanaka	• • • 1356
J9	Design and development of titanium alloy decreased reaction with the carbon	H.Kobayashi	• • • 1357
J10	Change in microstructure and mechanical properties of a high nitrogen Ti-Cr alloy by warm rolling in two-phase region	T.Tsuchiyama	• • • 1359
J11	Deformation structure and in situ observation in martensite structure of Ti-Nb alloys	Y.Mantani	• • • 1360
J12	Effect of pre- and post-deformation aging on the microstructure and properties of Ti-Mo alloys subjected to high-pressure torsion	S.Farjami	• • • 1361
J13	Effect of severe plastic deformation on microstructure and mechanical properties of β -type Ti-29Nb-13Ta-4.6Zr through high-pressure torsion	H.Yilmazer	• • • 1362
J14	Small-angle scattering study on nano-scale heterogeneity in gum-metal	M.Oonuma	• • • 1363
J15	Grain refinement and mechanical property by small amount of addition of elements in Ti-13Cr-1Fe-3Al alloys	A.Tomita	• • • 1364
J16	TiB ₂ addition of Ti-10V-2Fe-3Al alloy high performance	H.Egawa	• • • 1365
J17	Effects of hot rolling temperature on mechanical properties of Ti-3Al-5V alloy	S.Matsumoto	• • • 1366
J18	Age-hardening behaviour and microstructure observation of Ti-15-3-3 alloy aged at 573K	E.Sukedai	• • • 1367
J19	Processing map and high temperature deformation behavior of Ti-10V-2Fe-3Al alloy	T.Akanuma	• • • 1368
J20	Effect of La addition on microstructure in Ti-6.8Mo-4.5Fe-1.5Al	T.Sakamoto	• • • 1369
J21	Influence of heat temperature of hot rolling on in-plate anisotropies of alpha-beta type titanium alloy KS Ti-9	T.Konno	• • • 1370
J22	Influence of alloy elements on machinability, weldability and hot deformation resistance in alpha-beta titanium alloys containing Cr, Fe and C	S.Murakami	• • • 1371
J23	Effect of pre-heating on the second phase formation by aging in commercially pure titanium containing small amount of iron	H.Seto	• • • 1372
J24	Effect of Al content on phase constitution and heat treatment behavior of Ti-7mass%Mn-Al alloys	T.Kinoshita	• • • 1373
J25	Structural change of Ti-Fe alloy with addition of Al	Y.Takemoto	• • • 1374
J26	The formation process of ultra-fine grained microstructure in α' -Ti-6Al-4V alloy	H.Matsumoto	• • • 1375
J27	Effect of compressive stress on α -to- β phase transformation in titanium alloy during hot forging	B.Liu	• • • 1376
J28	Simulation of alpha grain growth in Ti-6Al-4V alloy using phase-field method	A.Seki	• • • 1377
J29	Microstructure and mechanical properties of welded $\alpha + \beta$ -type titanium alloy for next-generation air crafts	K.Hayashi	• • • 1378
J30	Strength and toughness of Ti-6Al-4V ELI alloy in liquid hydrogen	T.Yuri	• • • 1379
J31	(ISIJ,Research Promotion Grant)Fabrication of bio-functionalized Ti-base implant by electron beam melting(EBM) process	T.Ishimoto	• • • 1380
J32	Development of high-performance titanium alloys "Super-Ti(R)10CU(NB)" for automobile exhaust systems	H.Otsuka	• • • 1381
J33	Effect of annealing condition on formability in Ti-0.5Al-0.35Si alloy	Y.Itsumi	• • • 1382
J34	Phase constituent,microstructures and mechanical properties of Ti-Cu-Sn alloy with various heat treatment conditions	Y.Kawai	• • • 1382
J35	Effect of nitrogen and oxygen on α' martensitic structure and aging behavior in Ti-4Cr alloys	M.Sakata	• • • 1358
J36	Mechanical properties of pure titanium HIP compact with harmonic microstructure	T.Sekiguchi	• • • 1383
J37	Strain controlled fatigue behaviors of ARB processed Al before and after annealing	H.Kitahara	• • • 1384
J38	Measurement of dislocation density changing in ARBed ultra-fine grain aluminium	T.Takagi	• • • 1385
J39	Changes in microstructure and mechanical properties of pre-aged Al-0.2wt% Sc deformed by ARB	B.Ehsan	• • • 1386
J40	Deformation behavior of IF steel having various mean grain sizes	D.Terada	• • • 1387
J41	Fracture mechanism of SUS316L and SUS304L austenitic stainless steel compacts with harmonic microstructure	M.Rifai	• • • 1388
J42	Phase transformation and annealing behavior of austenitic stainless steels deformed by high pressure torsion	I.Shuro	• • • 1389
J43	Nanograin-structured Fe-Ni-Co-Ti alloys produced by HPT	Kaveh Edalati	• • • 1390
J44	Strengthening mechanism of nanograin-structured Fe-Ni-Co-Ti alloy	T.Furuta	• • • 1391
J45	Microstructure evolution in ferritic steel during severe plastic deformation by torsion	A.Setiawan	• • • 1392
J46	Processing of pure Ta by high-pressure torsion for grain refinement and mechanical property improvement	S.W.Lee	• • • 1393