

High Temperature Processes

Lecture No.	Title	Speaker	Page
Plenary Session			
1	Quantitative analysis of circulating solid velocity field in raceway	M.Sawayama	841
2	The measurement of solid temperature in a race way using two colors thermometers by CCD camera	S.Matsuzaki	842
3	Control of CO ₂ peak point by dual lance air curtain method	M.Ichida	843
4	Analysis of phenomena at lower part in blust furnace by sampling at tuyser level-2	Y.Hayasaka	844
5	Development of waste plastics recycling process using coke ovens	K.Kato	845
6	Fundamental experiments on the H ₂ gas injection into the lower part of a blast furnace shaft	T.Usui	846
7	Consideration and practice of science, technology and strategy for minimizing CO ₂ emission in Chinese steel industry	D.Cang	847
8	Evaluation of emerging iron and steelmaking-an LCA approach	L.Wibberley	848
9	Dezincing behavior from iron and steelmaking dusts by microwave heating	K.Nishioka	849
10	Recycling of shredder residue in ironmaking process	H.Hiroha	850
11	Numerical simulation of the moving bed furnace for iron scrap melting	R.Takahashi	851
12	Scrap and dust treatment technology for multi-function reducing-melting furnace	M.Naito	852
13	Influence of sulfur activity on the reforming reaction during production of iron carbide with CO-CH ₄ -H ₂ -H ₂ S mixtures in fluidized bed	T.Kouda	853
14	Energy and pollutants reducing technologies in new ironmaking processes at POSCO	I.O.Lee	854
15	Estimation of the clearance between coke-cake and oven wall	S.Aizawa	855
16	Investigation into the coke oven walls in Kakogawa applying the mobile chamber width measuring system	N.Takayama	856
17	Hot repair in the chamber end part of Mizushima No.1 coke oven	M.Homma	857
18	Combustion chamber of observation and repair equipment in Yawata No.4 coke oven	S.Ikemoto	858
19	Replacement of the collecting main of Hokkai No.5 coke oven	S.Koizumi	859
20	Effect of coal maceral on the heating of coal by oxidation	K.Matsudaira	860
21	Evaluation of fusibility of coal blend by using dynamic viscoelastic measurement	T.Takanohashi	861
22	Effect of coal bulk density on coke properties(Development of coke strength estimation technology-4)	T.Arima	862
23	Effect of the size of added plastic on coal carbonization	S.Nomura	863
24	The operation results of waste-plastic recycling process using coke oven	A.Sano	864
25	Control of CO ₂ reactivity and pore structure of coke	H.Fujimoto	865
26	Effect of coke pore structure on coke strength after CO ₂ reaction	K.Hanaoka	866
27	Effect of intense magnetic field on heat transfer around solidification front	T.Kozuka	867
28	Control of molten steel flow in a continuous casting machine by imposing static magnetic field parallel to the slab width direction	M.Morishita	868
29	The effect of electromagnetic vibration on collision and combine of inclusions	S.Niwa	869
30	Effect of a high magnetic field on formation of carbonaceous mesophase spherules	T.Torii	870
31	Effects of a high magnetic field on growth modes in vapor deposited films	M.Ishihara	871
32	The removal of lead and nickel from copper with melting slag	J.Shiino	872
33	The effect of H ₂ gas addition on the carburization of pure iron by CO	R.Asano	873
34	Non-isothermal gravimetric investigation on kinetics of carbothermic reduction of chromium oxide	K.Okumura	874
35	Effect of a supersonic jet on liquid surface	D.Nakazono	875
36	Effect of high temperature field on the supersonic jet behavior	I.Sumii	876
37	Acoustic cavitation assisted mixing of liquid in tank reactor	M.Furukawa	877
38	Model experiment on ultrasound assisted decomposition of chemical substance in waste water	N.Kawakita	878
39	Swirling flow effect in immersion nozzle in square billet continuous casting mold	K.Sasaki	879
40	Suppression of mold powder entrapment in continuous casting mold using immersion nozzle with elliptic cross section	J.Yoshida	880
41	Numerical prediction of microstructure evolution during initial stage of solidification using a phase-field model	M.Ode	881
42	The phase field model for ternary alloys using regular solution approximation	H.Kobayashi	882
43	Calculation model of growth of MnS precipitates in Fe-Si alloys	H.Hasegawa	883
44	Effect of solute elements on the dendrite arm spacing in Fe-based alloys	B.Wu	884
45	Influence of NaF addition to the system cuspidine-CaF ₂	H.Takahasi	885
46	Influence of Na ₂ O on the equilibrium between mold flux composition and cuspidine	M.Hanao	886
47	Fluorine elution from mold flux	Y.Yamamoto	887
48	In-situ observation of argon bubble entrapment by solidifying shell	H.Esaka	888

49 Outline of national project on application of electromagnetic force to continuous casting of steel	K.Ayata	• • •	889
50 Development of imposition technology of pulsative AC electromagnetic field in slab casting	M.Tani	• • •	890
51 Flow control of molten steel in mold with superconducting magnets	Y.Kishimoto	• • •	891
52 Improvement of hot ductility in continuously cast strand by ferrite precipitation control	Y.Itoh	• • •	892
53 Evaluation of mold flux consumption in continuous casting of steel based on cold model experiments	S.Itoyama	• • •	893
54 Effect of the flux flow on the oscillation mark depth	T.Ohkuma	• • •	894
55 Measurement of critical strain for formation of the transverse crack of ultra low carbon steel	Y.Awajiya	• • •	895
56 Cause of scale-shaped crack formation by applying hot-scarfing	K.Isobe	• • •	896
57 High temperature deformation behavior of peritectic carbon steel	H.Mizukami	• • •	897
58 Influence of gas flow and deadman renewal on accumulation of fines on deadman surface	K.Goto	• • •	898
59 Effect of slag solidification on mass and heat transfer phenomena in deadman (Numerical analysis of temperature transition in a blast furnace deadman-2)	T.Nishimura	• • •	899
60 Numerical analysis on unsteady heat transfer in lower part of blast furnace taking account of melting or re-solidification	Y.Kashihara	• • •	900
61 Estimation of phenomena of burden descending in furnace by cellular automata method	T.Imaizumi	• • •	901
62 Estimation of blast furnace slag viscosity at the time of solid-phase precipitation	T.Orimoto	• • •	902
63 Prediction of carbon dioxide from blast furnace by using of the metallic burden	T.Sato	• • •	903
64 Blast furnace operation of pulverized coal rate 210kg/T at Fukuyama Works	M.Kuwabara	• • •	904
65 Flow behaviour of blast furnace taphole streams and their effect on trough refractory wear	Q.He	• • •	905
66 Effect of SiO ₂ on the reduction of CaO-containing wustite	T.Inami	• • •	906
67 Gaseous reduction of iron oxide powder packed bed with H ₂ -CO mixtures	T.Yonezawa	• • •	907
68 Low temperature Moessbauer effect in α -iron carbide	F.Mase	• • •	908
69 Simulation regarding the mutual stimulate effect of reduction and gasification in iron ore-char composite pellet	M.Hiura	• • •	909
70 Products during mechanical milling of iron oxide and graphite mixture	H.Suzuki	• • •	910
71 Reduction behavior of hematite-graphite mixture with alkaline-earth metal oxide	S.Kikuchi	• • •	911
72 Development of a ladle degassor	J.Aoki	• • •	912
73 Re-oxidation behavior of molten steel by slag	K.Fuchigami	• • •	913
74 Effect of slag properties on reduction rate of chromium in Cr ₂ O ₃ containing slag by carbon in liquid metal	K.Miyamoto	• • •	914
75 Construction of hot cyclone dust collector for chromium ore smelting reduction furnace	S.Nabeshima	• • •	915
76 Influence of composition of refining slag on composition of inclusions in SUS304 slab	Y.Ehara	• • •	916
77 Variation of inclusion composition in SUS304 stainless steel deoxidized with aluminum	H.Todoroki	• • •	917
78 Deoxidation behavior in the creation of high nitrogen-bearing stainless steel by pressurized ESR method with Ca-bearing flux	Y.Kobayashi	• • •	918
79 Effect of Al and O contents on the size distribution of alumina inclusions just after deoxidation	M.Wakoh	• • •	919
80 Deoxidation equilibrium of Cr-Ni stainless steel with Si	K.Suzuki	• • •	920
81 Phase equilibria between SiO ₂ and iron-chromite solid solution, and deoxidation of liquid Fe-Cr alloy with Si	T.Nagasaka	• • •	921
82 Thermodynamics on the FeO · Cr ₂ O ₃ solid solution	T.Nagasaka	• • •	922
83 Phase equilibria in CaO-MgO-Fe ₂ O ₃ -P ₂ O ₅ slag saturated with MgO	T.Tamura	• • •	923
84 Activity measurements of Al ₂ O ₃ and SiO ₂ in the Al ₂ O ₃ -SiO ₂ -TiO _x system	M.Ohta	• • •	924
85 Determination of standard gibbs energy of formation of cuspidine by transpiration method	H.Tabata	• • •	925
86 Affecting factors on the measurement of thermal diffusivity of molten slag using double hot thermocouple technique	Y.Kashiwaya	• • •	926
87 Measurement of refractive indices for alkali silicate melts by ellipsometry	T.Yagi	• • •	927
88 Examination of Faraday's law of electrolysis in reactions between Na ₂ O-SiO ₂ melts and thermal plasma	Y.Nakada	• • •	928
89 Viscosities of CaO-SiO ₂ -Al ₂ O ₃ slags	N.Saito	• • •	929
90 Viscosity measurements and calculations for blast furnace type slags	Y.Kita	• • •	930
91 Accurate prediction of the viscosities of steelmaking slags	T.Iida	• • •	931
92 Influence of permeation water on bonding of blast furnace slag fine aggregate	H.Mitsufuji	• • •	932
93 Investigation of attached organisms on carbonated steelmaking slag (Development of large carbonated steelmaking slag blocks-7)	T.Isoo	• • •	933
94 New compound K ₂ Ca ₂ Si ₂ O ₇ contained in silicate fertilizer (Development of slow-release potassium silicate fertilizer with steelmaking slag-4)	E.Hamada	• • •	934
95 Recovery of chromium from slags by Fe-C-Al-Si melts	T.Nakasuga	• • •	935
96 Dissolution behavior of the constituents from converter slag	K.Shitogiden	• • •	936
97 Stability diagram of nutrients dissolving from steelmaking slags into seawater	T.Miki	• • •	937
98 Stability diagram of environmentally regulated elements dissolving from steelmaking slags into seawater	T.Miki	• • •	938
99 Effects of MgO based glass addition on the dusting of stainless steel slag (Development of control process of stainless steel slag dusting-3)	N.Sakamoto	• • •	939
100 Atomization of slag-modeled melt by rotary cup atomizer	T.Natsui	• • •	940

101 Promotion of pulverization by various rotary cup atomizers	T.Mizuochi	• • •	941
102 Application of steelmaking slags to pile foundation	A.Nishiwaki	• • •	942
103 Development of EAF refining slag block	Y.Kamiya	• • •	943
104 Adsorption property of nanometer particles by the carbonized RDF	N.Akai	• • •	944
105 Thermite reaction of EAF dust with Al dross in insulated sleeve	M.Mori	• • •	945
106 Dust recycling technology by dust treatment facilities at Kashima Steel Works	T.Ookubo	• • •	946
107 Interface reaction and joining of ore with slag	Y.Tsutsumi	• • •	947
108 Effect of flux composition on agglutination strength of hematite	Y.Kuroki	• • •	948
109 Viscosity of primary formed melt in sintering process	S.Machida	• • •	949
110 Development of estimation model for thermal properties of sinter	K.Nishioka	• • •	950
111 Zone wise mineralogical characteristics of Marra Mamba type fine ores (Characteristics of Marra Mamba type iron ore-1)	Y.Hida	• • •	951
112 Assimilation properties of Marra Mamba iron ore (Evaluation and technology for application of Marra Mamba iron ore-2)	J.Okazaki	• • •	952
113 Development of new granulation method adding the paper sludge	T.Matsumura	• • •	953
114 Improvement of the sintering operation using the slitting plate of the upper layer	T.Jinno	• • •	954
115 Improvement of sinter yield with adding coke breeze from the screw feeder	M.Matsumura	• • •	955
116 Operation results of coke upper charging method at Kakogawa sintering plant	S.Ishiwaki	• • •	956
117 Improvement of sinter yield at the surface layer of sintering bed	S.W.Kim	• • •	957
118 Increasing productivity of No.5 sintering machine at NKK Fukuyama Works	K.Yamashita	• • •	958
119 Effect of Cu in mixture on dioxin concentration in the exhaust gas (Behavior of dioxins in the sintering process of iron ores-14)	T.Kawaguchi	• • •	959
120 Measurement on the vertical distribution of copper content by a quenching pot test (Behavior of dioxins in the sintering process of iron ores-15)	M.Nakano	• • •	960
121 In-site observation of reduction behavior of ironoxide by graphite using high temperature XRD method	I.Seki	• • •	961
122 Temperature measurement on the reaction surface of an iron oxide-graphite facing pair	M.Kambe	• • •	962
123 Influence of the operating condition of HI-QIP on DRI productivity	N.Ishiwata	• • •	963
124 Separation of Ni from laterite ore by sulfuric acid leaching	H.Purwanto	• • •	964
125 Development of control system for hot metal process at Fukuyama Works	S.Wakamatsu	• • •	965
126 Improvement of hot metal pre-treatment center in Chiba Works	T.Yamauchi	• • •	966
127 Development of techniques for putting desiliconization flux into torpedos in advance	H.Tsurumaru	• • •	967
128 Dephosphorization of Fe-C-P melts at 1623K by potassium ferrite	Y.Sasaki	• • •	968
129 Effect of flux on dephosphorization of hot metal	T.Murai	• • •	969
130 Effect of the feeding rate of iron oxide and hot metal temperature on the hot metal dephosphorization rate in torpedo car	Y.Hino	• • •	970
131 Effect of hydrocarbon gas on hot metal desulfurization by CaO based flux	N.Kikuchi	• • •	971
132 Numerical simulation of BOF top blowing jet	Y.Tago	• • •	972
133 BOF refining technology for hot metal with low manganese content	J.S.Kim	• • •	973
134 Behavior of (T.Fe) in BOF slag	Y.Kanzaki	• • •	974
135 Design of waste heat recovery system in a LD converter	N.Maruoka	• • •	975
136 Measurement of oxidation of MgO-C refractories with thermobalance	Y.Ayabe	• • •	976
137 Improvement of slab casting productivity at NKK Fukuyama Works	K.Kameda	• • •	977
138 Simulation of sliding nozzle gate movements for steel continuous casting	N.Kubo	• • •	978
139 Improvement of techniques for sequential casting of different grade at Mizushima No.2 continuous casting machine	T.Takeda	• • •	979
140 Development of high quality steel production technique in the No.4 CCM at Kakogawa Works	K.Sumida	• • •	980
141 The tendency for freckle formation in Inconel 718	K.Morita	• • •	981
142 Development of Ca less casting on 220 middle bloom CC	R.Kakimoto	• • •	982
143 Rockwool from municipal waste incinerator	K.Yabuta	• • •	983
144 Kinetics on the carbon deposition from CO-H ₂ -CO ₂ gas mixture with iron catalyst	M.Nagaike	• • •	984
145 Factors affecting to the dioxins formation during oxidation of carbonaceous materials at low temperatures	S.Kuzuhara	• • •	985
146 The effect of CO ₂ on properties of charcoal absorbent from waste wood (Synthetic utilization of waste wood by combination of smelting of metal-6)	T.Kitamura	• • •	986
147 Development of sludge recycling technology by 10t/d smelting reduction furnace (Development of recovery technology of valuable metal contained in industrial sludge)	T.Uchiyama	• • •	987
148 Behavior of zinc during smelting reduction of industrial sludge by electric resistance furnace (Development of recovery of metal containing value from industrial sludge-7)	K.Iwasaki	• • •	988

Social Engineering of Iron and Steel Industry

Lecture No.	Title	Speaker	Page
Plenary Session			
149	Engineering ethics and code of ethics for engineer	K.Kuroda	• • • 990
150	Market trend forecast of iron material seen from social economy	T.Hoshihara	• • • 991
151	Management analysis of iron and steel enterprise in fundamental industries	K.Iwasaki	• • • 992
152	Analysis of competition power in electric furnace steel industries based on financial report	H.Iwasaki	• • • 993
153	Roles and history of underground construction of Tataru furnace	K.Nagata	• • • 994
154	The technology of cascade utilization of mixed fluoric-nitric acid for cleaning	H.Uesugi	• • • 995
155	Analysis of CO ₂ emission from passenger cars by using a population balance model	K.Kakudate	• • • 996
156	Co-production technologies into steel industry for reducing environmental impacts	H.Yanagisawa	• • • 997

Current Advance in Materials and Process, Vol.14, No.5

Instrumentation, Control and System Engineering

Lecture No.	Title	Speaker	Page
Plenary Session			
157	Automatic diagram scheduling system for steel-making process	S.Fujii	• • • 1000
158	Gain-scheduled tension and looper control in the hot strip finishing mill	Y.Iijima	• • • 1001
159	Tension and looper control of hot strip mill based on CDM	H.Ikeda	• • • 1002
160	Construction of advanced dust smelting furnace(The low cost design of the control device)	S.Hirata	• • • 1003
161	Chamber wall condition measurement technique (Development of wall roughness monitoring system in coke oven chamber-1)	T.Ashida	• • • 1004
162	Continuous molten steel temperature measurement using radiation thermometry	M.Sugiura	• • • 1005
163	Development of continuous temperature analysis system in continuous casting process	Y.N.Kim	• • • 1006

Production and Utilization Technology

Lecture No.	Title	Speaker	Page
Plenary Session			
164	Frictional coefficient in tube hydroforming and its effect on deformation	M.Kojima	• • • 1008
165	Numerical simulation of the tube hydroforming process (Friction effect on deforming behavior during hydroforming of square cross section)	M.Fukumura	• • • 1009
166	Effect of material properties on forming limit in tube hydroforming	Y.Hashimoto	• • • 1010
167	Measuring methods and characteristic values of mechanical properties of tubes used for hydroforming	Y.Shinohara	• • • 1011
168	Effects of strain on the microstructure formation of steel tubes	M.Aratani	• • • 1012
169	Improvement on inner surface quality of weldable 12%Cr seamless pipe	T.Nakahashi	• • • 1013
170	New roll groove dressing machine of stretch-reducer	T.Kimura	• • • 1014
171	Development of H-beam web off-center gauge	M.Matsumoto	• • • 1015
172	Concentration analysis of lubricant additives for cold rolling by FT-IR	A.Azushima	• • • 1016
173	Oil film and anti-seizure property in emulsion rolling	T.Hirasawa	• • • 1017
174	Development of new rolling oil for tin gauge cold rolling	S.Sugimoto	• • • 1018
175	Influence of hot rolling oil and rolling conditions on lubricated property	T.Hiruta	• • • 1019
176	Practical application of roll seizure prevention technology with grease-type hot rolling lubricant	H.Ihara	• • • 1020
177	Development of non-oil type lubricant for hot rougher rolling	T.Inoue	• • • 1021
178	Warm rolling with lubricant in the vacuum condition	Y.Yoshida	• • • 1022
179	Construction and operation of No.2 reheating furnace at NKK Fukuyama No.1 hot strip mill (Application of high temperature air combustion to a slab reheating furnace-1)	Y.Suzukawa	• • • 1023
180	Application of regenerative burner system to a large scale slab reheating furnace (Application of high temperature air combustion to a slab reheating furnace-2)	Y.Suzukawa	• • • 1024
181	Application of regenerative burner to a batch-type slab reheating furnace	I.Mori	• • • 1025
182	Application of regenerative radiant tube burner to Fukuyama #3 continuous annealing line	I.Mori	• • • 1026
183	Influences of temperature and atmosphere on the oxidation behavior and descalability of SUS304 hot-rolled strip	T.Oshima	• • • 1027
184	Effect of cooling rate and sintered carbon on mechanical properties of nickel molybdenum pre-alloyed powder	H.Suzuki	• • • 1028
185	Several properties of Cu-W/Cu composite affected by infiltrating conditions	T.Baba	• • • 1029
186	Fabrication of metal-alumina functional graded pipes by planetary slip casting	H.Kobayashi	• • • 1030
187	Properties and microstructure of SiC ceramics that liquid face sintering were using HIP treatment	Y.Mori	• • • 1031
188	Aluminizing of steel by liquid coating method	K.Murakami	• • • 1032
189	High strengthening sintered Fe-Ni alloy steels	H.Miura	• • • 1033

190 Analysis on warm compaction behavior	K.Kondoh	• • •	1034
191 Magnetic properties of flaky-shaped iron powder for dust cores	N.Nakamura	• • •	1035
192 Eutectoid transformation originated from dispersed oxide particles	K.Kasuya	• • •	1036
193 Characterization of cast strips for high P low-carbon steel	K.Hirata	• • •	1037
194 Cast structure of high P low C steels cooled by several 10K/s	T.Higuchi	• • •	1038
195 Influence of solidification mode on structure of continuously cast high phosphorus 0.1mass%C steel	N.Yoshida	• • •	1039
196 Development of on-line control system for mechanical properties on the plate rolling mill	H.Fujiuchi	• • •	1040
197 Development of predictive type FF-AGC in plate rolling	S.Nishino	• • •	1041
198 Development of on-line control system for thickness,flatness and material property on plate rolling	T.Tanemoto	• • •	1042
199 Development of on-line residual stress guarantee system of TMCP steel plate	Y.Kobayashi	• • •	1043
200 In-situ observation of α/β phase transformation in low carbon steel by laser microscopy	T.Hanamura	• • •	1044
201 Relationship between thickness of pancake α and thickness of grain boundary	S.Torizuka	• • •	1045
202 Effect of shear deformation on development of fine-grained ferrite structures	T.Inoue	• • •	1046
203 Manufacture of duplex stainless steel large forging	T.Wada	• • •	1047
204 Production of heavy section steel plates through forging and plate rolling process using continuously cast slabs-4	K.Araki	• • •	1048
205 Microstructural change by heavy deformation after reheating for cast slabs of 0.1mass% carbon steel	T.Yamashita	• • •	1049
206 Mechanical properties of warm rolled steel plates with ultrafine-grained ferrite and cementite structures	A.Ohmori	• • •	1050
207 Effect of diffusion of {100} parallel to the ND plane on the Charpy impact properties in low carbon steels	T.Hanamura	• • •	1051
208 Fatigue properties of ultrafine-grained low carbon steels-2	T.Sawai	• • •	1052
209 Experimental investigation into characteristic of camber control in sheet bar rolling	M.Eto	• • •	1053
210 Development of high response hydraulic looper in tandem hot strip mill	A.Chamoto	• • •	1054
211 Development of high wear resistance cast iron roll with carbide enhanced matrix	K.Hayashi	• • •	1055
212 Transcription mechanism of roll surface roughness on the strip surface	T.Aono	• • •	1056
213 the edge-break phenomenon by skin pass rolling	Ko.Hung.Suk	• • •	1057
214 Cutting characteristics of TiAl system intermetallic compounds	H.Tagami	• • •	1058
215 Effect of ferrite morphology on delayed fracture properties in high strength steel (Improvement of toughness in high strength steel by thermo mechanical treatment-1)	J.Kodama	• • •	1059
216 Fatigue properties of high strength spring steel wire	E.Abe	• • •	1060
217 Relationship between prior α grain size and fatigue strength in high strength oil tempered wire	H.Izumida	• • •	1061
218 Susceptibility of hydrogen in Si-enriched high carbon steel wire	Y.Fujino	• • •	1062
219 Temperature analysis of a thin wire in fluidized bed patenting	T.Hamada	• • •	1063
220 Effect of intermediate cooling after hot-deformation on the proeutectoid cementite evolution at the grain boundary in hyper-eutectoid steel rods	S.K.Cho	• • •	1064
221 Effect of residual phase stress on the yield strength anisotropy for a ferrite-cementite steels	T.Suzuki	• • •	1065
222 Development of dual phase steel for pitting resistant gears by surface hardening process	K.Fukuoka	• • •	1066
223 Ultra smoothing bar by drawing process with protrusion die	S.Kajino	• • •	1067
224 Decreasing residual stress by drawing process with protrusion die	S.Kajino	• • •	1068
225 Effect of moisture absorption on drawability in steel wiredrawing	K.Yosida	• • •	1069
226 Influence of straightening conditions on the longitudinal geometry	T.Kuboki	• • •	1070
227 Influence of initial curvature of parent bar on the longitudinal geometry after drawing	T.Kuboki	• • •	1071
228 Observation of delamination process in high-carbon steel wires	N.Ito	• • •	1072
229 Prediction method of cracking limit in upsetting(Evaluation method for forgeability-1)	S.Watanabe	• • •	1073
230 Influence of pre-deformation on crack limit in cold upsetting(Evaluation method for forgeability-2)	S.Watanabe	• • •	1074
231 Influence of working condition on internal cracking occurrence in cold extrusion	K.Kuroda	• • •	1075
232 Bayesian neural network model for estimation of weld properties	H.Fujii	• • •	1076
233 Development of prediction model for mechanical properties of large-heat-input SAW welds	H.Fujii	• • •	1077
234 Effect of nitride precipitation on the HAZ toughness of high nitrogen containing Ni-free austenitic stainless steel	I.Woo	• • •	1078
235 Ultra-narrow gap GMA welding process for ultra-fine grained steels	K.Hiraoka	• • •	1079
236 Deep penetration welding of ultrafine grained steel by 20 kW CO ₂ laser	S.Tsukamoto	• • •	1080
237 Numerical analysis of deformation behavior for over-matched weld joints	K.Nagai	• • •	1081
238 Mechanical properties of welded joints of ultra - fine grained steels	H.Qiu	• • •	1082
239 Fatigue strength improvement of ultrafine grained steel non-load-carrying cruciform welded joints (Introduction of compressive residual stress with low-transformation temperature welding wire)	N.Suzuki	• • •	1083
240 Development of new explosive welding technique using underwater shock wave for joining thin metal plate onto steel	K.Hokamoto	• • •	1084

Microstructure and Properties of Materials

Lecture No. Plenary Session	Title	Speaker	Page
241	Formation of ultrafine grains during high temperature deformation of martensite in low-carbon steel	N.Tsuji	• • • 1161
242	Formation of ultrafine grains in JIS-SS400 plain low-carbon steel by conventional cold-rolling and annealing of martensite starting structure	R.Ueji	• • • 1162
243	Mechanical properties of ultrafine grained JIS-SS400 plain low-carbon steel produced by conventional cold-rolling and annealing of martensite starting structure	R.Ueji	• • • 1163
244	Ultra-grain refinement of JIS-SM490 steel by conventional cold-rolling and annealing of martensite starting structure	N.Tsuji	• • • 1164
245	Change in microstructure and mechanical properties of 36%Ni austenitic steel highly strained by ARB process	N.Tsuji	• • • 1165
246	Change in microstructure and mechanical property by annealing of ultra-low carbon IF steel intensely deformed to various strains by ARB	N.Kamikawa	• • • 1166
247	Nanocrystallization in the surface region of carbon steels by high strain rate heavy deformation	N.Suzuki	• • • 1167
248	Microstructure investigation on nanocrystallization process in carbon steels by heavy deformation	Z.G.Liu	• • • 1168
249	Thermo-mechanical treatment for improvement of superplasticity on SUS304	M.Katoh	• • • 1169
250	Three-dimensional morphology and influence of Mo segregation on the transformation behavior of proeutectoid ferrite in an Fe-C-Mo alloy	K.M.Wu	• • • 1170
251	Crystallography and interphase boundary structure of upper bainite	T.Moritani	• • • 1171
252	Morphology and crystallography of intragranular ferrite nucleated on incoherent MnS+V(C,N) complex precipitate in austenite	G.Miyamoto	• • • 1172
253	Crystallographical study of intra-granular ferrite in low alloy steel	G.Shigesato	• • • 1173
254	Development of high HAZ toughness steel with fine microstructure imparted by fine particles	R.Uemori	• • • 1174
255	Microstructure of degenerate pearlite in a hypoeutectoid Fe-C alloy	K.Sakamoto	• • • 1175
256	Precipitation behavior of cementite during slow cooling in medium carbon steel	M.Suzuki	• • • 1176
257	Investigation on the decomposition of cementite	Z.G.Liu	• • • 1177
258	The effect of alloying additions on the properties of bulk cementite	H.Takaoka	• • • 1178
259	The evolution of microstructure in vanadium microalloyed steels	Y.Li	• • • 1179
260	Precipitation of fine particle sulfide in Fe-Cr-S alloys	H.Mitsui	• • • 1180
261	Recovery of microstructure and mechanical property in aged duplex stainless steel	H.Kuwano	• • • 1181
262	Magnetic properties of Fe-Cr-C, and Fe-Cr-C-Ni dual property magnetic materials	S.Yokoyama	• • • 1182
263	Newly developed electrical steel for high frequency use	M.Kawano	• • • 1183
264	Effect of boron on workability of 6.5% Si steel sheet	K.Fujita	• • • 1184
265	The effects of S on magnetic properties of non-oriented electrical steel sheets	Y.Oda	• • • 1185
266	Effect of frequencies of high-energy boundary in primary recrystallized textures on secondary recrystallization of the Goss grain	M.Kurosawa	• • • 1186
267	Observation of grain growth process of secondary recrystallization in grain oriented electrical steel	M.Komatsubara	• • • 1187
268	Dynamic observation of grain growth behavior by synchrotron x-ray topography (Effect of grain boundary character on selective growth of Goss grain in Fe-3%Si alloy-1)	Y.Ushigami	• • • 1188
269	Motion of Goss boundary under pulsed heat treatment (Effect of grain boundary character on selective growth of Goss grain in Fe-3%Si alloy-2)	S.Takebayashi	• • • 1189
270	Features of texture of the adjacent primary grain to a Goss grains in a secondary recrystallization in Fe-3%Si alloy (Effect of grain boundary character on selective growth of Goss grain in Fe-3%Si alloy-3)	S.Nakamura	• • • 1190
271	Texture and size distribution of primary grains in the vicinity of Goss boundary (Effect of Goss boundary character on selective growth of Goss grain in Fe-3%Si alloy-4)	S.Suzuki	• • • 1191
272	Recrystallization texture formation of high-reduction cold rolled iron	H.Homma	• • • 1192
273	Properties of the low carbon high nitrogen martensitic stainless steel melted by a pressurized induction furnace	T.Koga	• • • 1193
274	Preparation of Fe-Cr-Mn stainless steel containing high nitrogen using mechanical alloying method	R.Okabe	• • • 1194
275	Corrosion resistance of Fe-Cr-Mn-N steels produced by nitrogen absorption treatment at solid state	M.Fujisawa	• • • 1195
276	Effects of N and Mo contents on localized corrosion resistance of high N-bearing stainless steels (Development of stainless steel for seawater environment-7)	M.Sagara	• • • 1196
277	Influence of Ca and S on corrosion resistance of super-low P SUS316L stainless steel	S.Iwasaki	• • • 1197
278	Atmospheric corrosion resistance of ferritic stainless steels in marine environment	K.Shirayama	• • • 1198
279	Effect of Cl and S content in synthetic ash on the corrosion resistance of stainless steels to molten salts (Corrosion resistance of stainless steels in waste incineration environment-3)	Y.Kawabata	• • • 1199
280	Effects of Si content on oxidation of SUS304 steels in steam at 1473K	M.Hatano	• • • 1200
281	Effect of cooling condition on surface oxidation characterization of hot rolled SUS304	K.Tomimura	• • • 1201
282	Dissolution behavior of SUS430 with segregated phosphorus in sulfuric-nitric acid	M.Tsuchinaga	• • • 1202
283	Technology to prevent surface defects of stainless wire rod to introduce of planetary cross rolling mill	Y.Oikawa	• • • 1203
284	Hot deformation behavior with austenite grain size	S.T.Hong	• • • 1204
285	The effect of Si content in the high temperature tensile test	T.G.Kim	• • • 1205
286	Numerical simulation of phase decomposition in Fe-Cr binary and Fe-Cr-Mo ternary alloys	Y.Suwa	• • • 1206
287	Phase separation in iron-based ternary alloys	K.Ochi	• • • 1207
288	Grain growth in an (+) region for Fe-Si-Cr-C-X alloys	J.H.Park	• • • 1208

289 Relation between minor particle dispersion and grain sizes in stainless steels	K.Takano	• • •	1209
290 The fiber components in the biaxially warm-deformed low-carbon steels	F.Yin	• • •	1210
291 Texture development during cold rolling and annealing in two type 304 stainless steel cast strips (Texture development in strip cast type 304 stainless steels-2)	S.Teraoka	• • •	1211
292 Deformation history dependence of flow stress for a high nitrogen bearing austenitic stainless steel	M.Kanda	• • •	1212
293 Effect of solid solution hardening on high speed deformation behavior for ferritic steels	J.H.Park	• • •	1213
294 Effects of electrodeposited layers/Fe-substrate interface structures on mechanical properties	K.Nakai	• • •	1214
295 Shape recovery characteristics of ferrous shape memory alloy wrapper tube at three points bending	S.Mizote	• • •	1215
296 Probability and temperature dependence of cleavage fracture in steel	M.Iwasaki	• • •	1216
297 Micromechanics analysis of charpy impact test	Y.Haramiishi	• • •	1217
298 Constraint and size effects on ductility and toughness of Al alloys	S.Kanamori	• • •	1218
299 Improvement of low temperature embrittlement in Hadfield steel	Y.Ono	• • •	1219
300 Effect of stress-strain behavior on fracture toughness of ferritic steel	T.Handa	• • •	1220
301 Significance of ductile crack at notch root on toughness of SM490A steel-2	E.Takeuchi	• • •	1221
302 Superconductor of the first kind	S.Watanabe	• • •	1222
303 Superconductor of the second kind	S.Watanabe	• • •	1223
304 Influence of Ni contents upon micro-structural changes due to rolling contact	H.Nakajima	• • •	1224
305 Characteristics of the clean bearing steel melted in the atmosphere	T.Kano	• • •	1225
306 Role of surface properties in pitting fatigue of carbo-nitrided steel	T.Nakamura	• • •	1226
307 Influence of microstructure on wear and rolling contact fatigue behavior in rail steels	H.Yokoyama	• • •	1227
308 Effects of copper and nickel contents on characteristics of cold-forging and aging steel	T.Hanyuda	• • •	1228
309 Effect of hot deformation on hardness of Cu bearing extremely low carbon bainitic steel	K.Hase	• • •	1229
310 The microstructures of Cu bearing extremely low carbon bainitic steels	K.Hono	• • •	1230
311 Effect of grain size on bending strength of Ti or Ti-B doped carburizing steels	H.Kinoshita	• • •	1231
312 FEM analysis of heat treatment distortions for carburized quenching products	H.Imataka	• • •	1232
313 Effect of Mg and Ca addition on toughness and machinability of resulfurized free-cutting steel (Development of new resulfurized free-cutting steel-1)	N.Tsunekage	• • •	1233
314 Effect of S content and Mg and Ca addition on the machinability and strength of steels (Development of new resulfurized free-cutting steel-2)	K.Sato	• • •	1234
315 Improvement in cutting tool life by Mg+Ca addition in free-machining structural steels	H.Yaguchi	• • •	1235
316 Effect of Si content and hardness on machinability of hot working die steels	T.Fujii	• • •	1236
317 Precipitation behavior of fine MX type precipitates in HAZ of Cr-Mo steels	M.Yuga	• • •	1237
318 Effects of thermo-mechanical processing on creep rupture properties of MX precipitation strengthened low-alloyed steels	M.Ozaki	• • •	1238
319 Thermo-mechanical processing of MX precipitation strengthened low-alloyed steels for improvement of creep strength properties	M.Kondo	• • •	1239
320 Reverse transformation of C-free martensitic steels	K.Yamada	• • •	1240
321 Change in transient creep in Cr-Mo-V steel with stress	D.Serino	• • •	1241
322 Analysis of stress relaxation behavior of 2.25Cr-1Mo steel based on creep deformation behavior	T.Ohba	• • •	1242
323 Evaluation of creep crack propagation life at steam turbine rotor grooves	M.Okazaki	• • •	1243
324 Fracture toughness of a retired high-intermediate pressure steam turbine rotor (Brittle fracture evaluation for the high and intermediate pressure steam turbine rotor-1)	H.Uemura	• • •	1244
325 AFM observation of fatigue crack initiation in strengthened low carbon steels	Y.Sasaki	• • •	1245
326 Fatigue strength of ultrafine-grained steel(Fatigue of ultrafine-grained steel-1)	K.Shirai	• • •	1246
327 Observation of fatigue crack initiation in ultrafine-grained steel(Fatigue of ultrafine-grained steel-2)	H.Miyata	• • •	1247
328 High-cycle fatigue properties of SUS304L electrogas arc welds at cryogenic temperatures	T.Yuri	• • •	1248
329 Nanoscopic fatigue strength analysis of ferrite-pearlite steels and tempered-martensitic steels	H.Hirukawa	• • •	1249
330 Giga-cycle fatigue properties for 1800MPa-class spring steel billets	T.Abe	• • •	1250
331 Frequency effects on giga-cycle fatigue properties	Y.Furuya	• • •	1251
332 High-cycle fatigue properties for modified-ausformed SCM440 steels-2	Y.Furuya	• • •	1252
333 Influence of steel surface property on galvannealing rate on galvanized steel sheet	N.Fujibayashi	• • •	1253
334 Effect of substrate on the surface defect of galvannealed steel sheet	S.Taira	• • •	1254
335 Frictional property of pre-phosphated galvannealed steel sheet	T.Katagiri	• • •	1255
336 Electrodeposition of Zn-Al oxide composite from non-suspended solution	K.Shouno	• • •	1256
337 Effect of inorganic additives in pickling solution on an electrodeposition of zinc on steel sheets	S.Ando	• • •	1257
338 The improvement of stone chipping resistance and corrosion resistance of Zn-Ni alloy electrodeposition	Y.S.Jeong	• • •	1258
339 Improvement of wet adhesion of tin free steel from the surfactant added bath	T.Suzuki	• • •	1259
340 Influences of surface finish on the growth rate of oxide films on titanium in atmospheric corrosion environments	N.Hara	• • •	1260
341 Effect of artificial fine Fe-rust on formative ability of protective rust (New surface treatment for promoting protective rust formation on weathering steels-1)	T.Komori	• • •	1261

342	Analysis of rust layer structure formed by atmospheric exposure in airborne salt attacking environment (New surface treatment for promoting protective rust formation on weathering steels-2)	W.Tanimoto	• • •	1262
343	Performance and application of new surface treatment to actual structures (New surface treatment for promoting protective rust formation on weathering steels-3)	T.Komori	• • •	1263
344	Corrosion behavior of coated weathering steel	T.Matsumoto	• • •	1264
345	Corrosion behavior in each part of model structures exposed to outdoor	H.Katayama	• • •	1265
346	Effect of environmental factor for corrosion of hot-dip galvanized tower steel	K.Ono	• • •	1266
347	Properties of environmental purification of photocatalyst-coated steel sheet (Development of photocatalyst-coated steel sheet-1)	H.Nakamura	• • •	1267
348	Investigation on zirconia stabilizer in thermal barrier coatings(TBC)	T.Torigoe	• • •	1268
349	Development of MoSi ₂ introduced thermal barrier coating	K.Sonoya	• • •	1269
350	Effect of added ceramic on the Mn reaction resistance of thermal spray coating on hearth roll	S.Midorikawa	• • •	1270
351	Observation of crack morphology after deformation of Ti film deposited on goss single crystal of silicon steel	Y.Inokuchi	• • •	1271
352	Effect of α -phase on the recrystallization behavior during hot rolling for 16%Cr ferritic stainless steels	Y.Kato	• • •	1272
353	Effect of microstructure of hot rolled sheet for ridging of type430 stainless steel sheet	J.Hamada	• • •	1273
354	Effect of grain diameter of hot bands on r-value of Nb bearing ferritic stainless steel sheets	A.Miyazaki	• • •	1274
355	Machinability and corrosion resistance of Type 430 dispersed titanium carbo-sulfide	K.Ishikawa	• • •	1275
356	Effect of sulfur content on continuous blanking workability of high strength austenitic stainless steel	S.Suzuki	• • •	1276
357	3DAP characterization of tempered Fe-12.5r-15.5Co-2Mo-0.2C high strength stainless steel	T.Honma	• • •	1277
358	Properties of weld joint of rolled thick plate made of the martensitic stainless steel for water turbine	H.Kimura	• • •	1278
359	Effect of Si on properties of large-sized duplex stainless steel casting	S.Tanaka	• • •	1279
360	Effect of Re on the solvus temperature of the laves phase in high Cr ferritic steels	M.Kamiya	• • •	1280
361	Effect of Cr on the creep strengthening factor of ferritic heat resistant steels (The control of long-term creep strength degradation in the high Cr steel-3)	K.Miki	• • •	1281
362	Modeling of microstructure changes during creep based on the phase-field method (Application of the system free energy to the prediction of microstructure evolution in high Cr heat resisting ferrite steels-3)	T.Koyama	• • •	1282
363	Effect of prior austenite grain size on creep deformation behavior in heat resistant martensitic steel	Y.Nishihara	• • •	1283
364	Effect of boron on recovery and recrystallization behavior in heat resistant martensitic steels	T.Kawamura	• • •	1284
365	Improvement of creep-fatigue life by heat treatment in high Cr ferritic steel	Y.Hirakawa	• • •	1285
366	Effect of Co on creep deformation and precipitation behavior of high-Cr ferritic Steels	Y.Kadoya	• • •	1286
367	Development and production of 10Cr1.5MoVNb steel for gas turbine compressor disk	Y.Okamura	• • •	1287
368	Evaluation of long-term creep strength of high Cr ferritic creep resistant steels from a viewpoint of creep deformation	K.Kimura	• • •	1288
369	Long-term creep strength and changes in creep deformation of high Cr ferritic creep resistant steels	H.Kushima	• • •	1289
370	Effect of alloying elements on creep properties of Pd added 9% Cr steels	H.Okada	• • •	1290
371	Softening behavior of high chromium ferritic steels during creep	R.Ishii	• • •	1291
372	Effects of C and N on the creep strength properties of precipitation strengthened 15Cr ferritic steels	Y.Toda	• • •	1292
373	Effects of C and N on the mechanical property of precipitation strengthened 15Cr ferritic steels	H.Tohyama	• • •	1293
374	Heat-to-heat variation in long-term creep strength of 12Cr-1Mo-1W-0.3V steel	F.Abe	• • •	1294
375	Effect of MX type nitrides precipitated on boundaries in low-carbon 9Cr steel	M.Taneike	• • •	1295
376	Effect of B addition on the creep strength in N free 12%Cr steels	T.Azuma	• • •	1296
377	High-temperature high-cycle fatigue property of 12Cr-2W ferritic heat resistant steel	K.Kobayasi	• • •	1297
378	Visualization of distribution of hydrogen during delayed fracture in a martensitic steel at a 1500MPa tensile strength level	H.Shimoda	• • •	1298
379	Detection of deformation induced defects by hydrogen microprint technique	T.Ohmisawa	• • •	1299
380	Visualization of hydrogen in stress-concentrated region of SUS304 stainless steel by using Ag decoration technique	E.Akiyama	• • •	1300
381	Effect of deformation on hydrogen trapping of dislocations (Analysis of hydrogen trapping in high tensile strength steel-2)	D.Hirakami	• • •	1301
382	Evaluation of absorbed hydrogen distribution in the high strength bolts tightened to various strength by exposed test	S.Sakashita	• • •	1302
383	Evaluation of absorbed hydrogen concentration in high strength bolt by CCT simulating atmospheric corrosion	S.Sakashita	• • •	1303
384	Examination of experimental determination of the shape parameter m in the Weibull stress for evaluation of the hydrogen embrittlement susceptibility of high strength steel	S.Takagi	• • •	1304
385	Evaluation of the hydrogen embrittlement susceptibility of high strength steel based on the local approach	S.Takagi	• • •	1305
386	Evaluation of the hydrogen embrittlement for high strength steels with low diffusion coefficient of hydrogen	T.Tsuchida	• • •	1306
387	Strength and delayed fracture properties of martensitic steels containing Si,Cr and Mo	Y.Kimura	• • •	1307
388	Evaluation of effect of vanadium and titanium on delayed fracture of SCM440 steel by SSRT	W.Urushihara	• • •	1308
389	Delayed fracture properties of SCM440 steel with various strength levels derived through modified ausforming	S.Terasaki	• • •	1309
390	Influence of prior austenite grain refinement on delayed fracture properties of a 1400 MPa class high strength steel	Y.Kimura	• • •	1310
391	Hydrogen embrittlement susceptibility of grain-refined martensitic steel	H.Fuchigami	• • •	1311

392	Mechanical properties of fully austenitic weld metal at low temperature (Low temperature materials used in WE-NET 16)	H.Okuno	• • •	1312
393	Cryogenic temperature toughness of reduced pressure electron beam weld metal of austenitic stainless steels(Low temperature materials used in WE-NET 17)	H.Nakagawa	• • •	1313
394	Fatigue properties of TIG welds of austenitic stainless steels in liquid hydrogen (Low temperature materials used in WE-NET 18)	H.Fujii	• • •	1314
395	Hydrogen environment embrittlement of SUS316 series austenitic stainless steels at low temperatures (Low temperature materials used in WE-NET 19)	S.Fukuyama	• • •	1315
396	Effect of hydrogen charging on fracture toughness obtained by small specimen of SUS304L steel weld at cryogenic temperature(Low temperature materials used in WE-NET 20)	T.Ogata	• • •	1316
397	Change in back stress during creep deformation of austenitic steel	M.Tamura	• • •	1317
398	Effect of S segregation and BN precipitation to creep cavities on creep rupture properties	J.Kyono	• • •	1318
399	Microstructures in SUS304 for long term creep ruptured specimens in 723 ~ 973K	M.Yamazaki	• • •	1319
400	Properties of a 18Cr-9Ni-W,Nb,V,N stainless steel tube after 2 year exposure in a power boiler	T.Ishitsuka	• • •	1320
401	A role of precipitates containing stacking faults in phase evolution processes in a 40Fe-29Ni- 22Co-4Nb-2Cr-1Ti-0.5Al-0.5Si superalloy	K.Kusabiraki	• • •	1321
402	Design of Ni-based superalloys with low thermal expansion-1	S.Isobe	• • •	1322
403	Design of Ni-based superalloys with low thermal expansion-2	R.Yamamoto	• • •	1323
404	Effect of aging time on mechanical properties and precipitation behavior of Ni-16Cr-8.5Co-3.5Al-3.5Ti-2.6W-1.8Mo-0.9Nb alloy	D.Saito	• • •	1324
405	Stress dependence of creep in Ni-20Cr alloy single crystal with [001] orientation	Y.Nakamoto	• • •	1325
406	Creep in Ni-20Cr alloys single crystal with [011] orientation at lower stresses	T.Yasui	• • •	1326
407	Orientation dependence of creep in Ta added Ni-20Cr alloy single crystal	Y.Terada	• • •	1327
408	Relation between dislocation substructure and tensile directions in single crystal Ni-based superalloy, CMSX-2, crept at 1273K-on [001]-[011]line-	J.S.Lee	• • •	1328
409	Measurement of the density of super heat-resistance alloy at liquid state and solid-liquid two-phase state by a modified sessile drop method	K.Mukai	• • •	1329
410	Change in dislocation substructure of oxide dispersion strengthened Ni-based superalloy, MA754, with creep deformation	A.Takahashi	• • •	1330
411	Morphology of phase of single crystal Ni-based superalloy, PWA1480, serviced as 1st high pressure turbine blade	N.Harada	• • •	1331
412	Metallurgical Analysis of serviced CMSX2 single crystal gas turbine bucket-2	Y.Yoshioka	• • •	1332
413	Creep deformation of single crystal Ti-48at%Al alloy with fully lamellar structure	M.Yoshida	• • •	1333
414	Collapsing of plate in TiAl alloy with different orientation of lamellar plate to stress axis	K.Kubushiro	• • •	1334
415	Creep of Ti-48Al with massive structure	M.Yoshida	• • •	1335
416	Effect of acid rain on discoloration of titanium (Discoloration mechanism of titanium in atmospheric environments and development of preventive method-1)	M.Kaneko	• • •	1336
417	Effect of titanium carbide on discoloration of titanium (Discoloration mechanism of titanium in atmospheric environments and development of preventive method-2)	M.Kaneko	• • •	1337
418	Improvement of discoloration-resistance in commercially pure titanium sheet (Discoloration mechanism of titanium in atmospheric environments and development of preventive method-3)	K.Takahashi	• • •	1338
419	Discoloration behavior of commercially pure titanium sheets pickled in nitric-hydrofluoric acid solutions (Discoloration mechanism of titanium in atmospheric environments and development of preventive method-4)	K.Takahashi	• • •	1339
420	The effect of aluminum content on tensile properties and aging behavior of Ti-Fe-Cr-Al alloys	M.Ikeda	• • •	1340
421	Effect of microstructure on fretting fatigue characteristics of Ti-4.5Al-3V-2Mo-2Fe	J.Takeda	• • •	1341
422	Effect of phase stability on mechanical properties in a -rich + type titanium alloy	Gunawarman	• • •	1342
423	Effect of oxide layer on wear characteristics of surface oxidation treated biocompatible -type titanium alloy in simulated body environment	S.Nakamura	• • •	1343
424	Microstructural evolution during high temperature deformation in -titanium alloys	Y.Touji	• • •	1344
425	Effect of heat treatment on mechanical properties of a heat resistant titanium alloy	A.Suzuki	• • •	1345
426	Hot tensile behaviour of Mg alloy, AZ91-D	S.Fudetani	• • •	1346
427	Effect of Mg on shape of zinc-phosphate crystal on electro-coated zinc	H.Nakakoji	• • •	1347
428	Effect of sealing on the properties of Mg contained phosphated electrogalvanized steel sheet	K.Hamahara	• • •	1348
429	Method to evaluate property of anti-finger printed steel sheets	W.S.Jeong	• • •	1349
430	Effect of organic coatings on corrosion resistance of galvanized steel sheets	N.Yoshimi	• • •	1350
431	Properties of various chromated 55% Al-Zn alloy coated steel sheets-3	A.Matsuzaki	• • •	1351
432	The effect of oxygen permeation through coating for cathodic delamination of polyethylene coated steel pipe	M.Murase	• • •	1352
433	Effect of boron and chromium additions on the warm rolling behavior of low carbon steels	J.J.Jonas	• • •	1353
434	Effects of Mo and B on hardenability after hot working	H.Asahi	• • •	1354
435	Drawing behavior of pearlitic steel wire rods controlled by boron addition in medium carbon steel	W.Y.Choo	• • •	1355
436	Effects of B and N on graphitization and hardenability in 0.53%C steels	T.Iwamoto	• • •	1356
437	Investigation of boron distribution in martensitic 9% Cr creep resistant steel	P.Hofer	• • •	1357
438	Improved utilization of added B in 9Cr heat-resistant steels containing W	T.Horiuchi	• • •	1358
439	Effect of boron addition on structure and properties of low carbon bainitic steels	W.Xuemin	• • •	1359

440	Role of boron in Improving creep rupture strength of ferritic heat resistant steels	E.El-Kashif	• • •	1360
441	Influence of boron on toughness of quenched steel with various carbon contents	M.Honda	• • •	1361
442	Effects of boron addition on tempering processes in an Fe-9Cr-0.1C alloy martensite	S.Kobayashi	• • •	1362
443	Effect of boron on copper induced surface hot shortness of a carbon steel	C.Nagasaki	• • •	1363
444	Effect of boron on the grain boundary segregation of phosphorous and intergranular fracture in interstitial free steels	E.El-Kashif	• • •	1364
445	Determination of boron in steel by inductively coupled plasma mass spectrometry after closed-vessel microwave dissolution and anion exchange separation	K.Mizuno	• • •	1365
446	Effect of W on creep behavior of martensitic heat resistant steels	M.Yoshizawa	• • •	1366
447	Effect of new thermomechanical heat treatment on microstructure of high-Cr ferritic heat resistant steels	H.Okubo	• • •	1367
448	Long-term creep deformation characteristics in high-Cr ferritic steels	M.Igarashi	• • •	1368
449	In-situ observation of recovery process in high chromium ferritic steel	K.Sawada	• • •	1369
450	Effect of heat treatment on creep properties of 9%Cr ferritic steels	K.Yamada	• • •	1370
451	Effect of high-temperature normalizing on creep strength of simulated HAZ specimens of 9%Cr ferritic steel	M.Matsui	• • •	1371
452	Characteristic of crack propagation with martensitic stainless overlaid alloy	Y.Satoh	• • •	1372
453	Type fracture on long term creep ruptured GTA welded joint specimen of 9Cr-1Mo-V-Nb steel plate	T.Watanabe	• • •	1373
454	Effect of aging on creep strength of 11Cr-0.4Mo-2W-V-Nb-Cu steel	A.Sasada	• • •	1374
455	Precipitation behaviour of Z-phase in mod.9Cr-1Mo steel during creep deformation	K.Suzuki	• • •	1375
456	Steam oxidation behavior of carbon-free martensitic alloys	H.Kutsumi	• • •	1376
457	Structure of steam oxidation scale on palladium containing high chromium ferritic steels	T.Itagaki	• • •	1377
458	Effect of nickel content on creep properties of Fe-Ni-9Co-5Mo carbon-free martensitic alloys	S.Muneki	• • •	1378
459	Carbon-free martensitic alloys with superior creep properties at high temperatures more over 973K	S.Muneki	• • •	1379
460	Modelling of creep damage caused by particle coarsening (Creep modelling of martensitic heat resistant steels-2)	H.Semba	• • •	1380
461	Effect of Si and P on the mechanical properties of cold rolled high strength TRIP steels	S.J.Kim	• • •	1381
462	Effect of microstructure on the formation of retained austenite in C-Mn-Si steel	T.Nakagaito	• • •	1382
463	The effects of thermomechanical processing on microstructure in low alloyed TRIP steels	A.Hayakawa	• • •	1383
464	Effect of YAG laser cutting on stretch-flangeability of TRIP sheet steels	A.Nagasaka	• • •	1384
465	Development of 590MPa grade precipitation hardening type galvanized sheet steel with superior spot weldability	K.Osawa	• • •	1385
466	Development of hot-rolled sheet steel with excellent strain-age hardenability	S.Kaneko	• • •	1386
467	Measuring method of mechanical properties in impact tensile test	T.Masuda	• • •	1387
468	Comparison between experiments and FEM simulation of high velocity tensile test methods to clarify test method's influence of high strength steel	H.Yosida	• • •	1388
469	Effect of boron in solution on anisotropy of r-value of B-bearing Al-killed steel sheets	Y.Funakawa	• • •	1389
470	Factors affecting texture memory appearing through transformation and its mechanism	N.Yoshinaga	• • •	1390
471	Effect of hot-band's microstructure on texture formation of cold-rolled high carbon steel sheet	N.Nakamura	• • •	1391
472	Effects of manganese on hot-ductility of low carbon steel	T.Inoue	• • •	1392
473	Temperature of initiation of scale failure during cooling of low carbon steels	S.Taniguchi	• • •	1393

Process Evaluation and Material Characterization

Lecture No.	Title	Speaker	Page
Plenary Session			
474	Direct determination of boron in iron and steel by reversed-phase high-performance liquid chromatography	N.Uehara	• • • 1396
475	Determination of tellurium in steels by high power nitrogen microwave induced plasma atomic emission spectrometry coupled with hydride generation method	A.Matsumoto	• • • 1397
476	Application of the helium microwave induced plasma atomic emission spectrometry to an analysis of inclusion in iron and steel	S.Tamura	• • • 1398
477	Estimation of rolling contact fatigue life due to determination of non-metallic inclusions and impurity in bearing steel	K.Kizawa	• • • 1399
478	Quantitative evaluation of retained austenite in low carbon TRIP steel sheet by saturation magnetization measurement and EBSP method	H.Akamizu	• • • 1400
479	Glow discharge optical emission spectrometry-activities and opportunities in the field of depth profile analysis	A.Bengtson	• • • 1401
480	Characterising the RF plasma source in GD-OES	R.Payling	• • • 1402
481	Some new advances in material analysis using plasma spectrometry	Q.Jin	• • • 1403
482	Laser-induced breakdown spectrometry and its coupling with low pressure ICP system for quantitative elemental analysis	Y.I.Lee	• • • 1404
483	Determination of Pb,Ag,Cu and Mn in steel by electrothermal-atomic absorption spectrometry with direct atomization of a solid sample, and shapes of absorption signals based on atomization process of the elements	K.Takada	• • • 1405
484	Determination of antimony in steels by high power nitrogen microwave induced plasma atomic emission spectrometry with hydride generation	T.Nakahara	• • • 1406
485	Rapid analysis of steel by ICP-AES and ICP-MS with laser ablation	Y.Ishibashi	• • • 1407
486	Analysis of size distribution and chemical composition of oxides in steel by optical emission spectroscopy	A.Yamamoto	• • • 1408

487 Present status of microstructural characterization of steel by analytical methods	S.Suzuki	• • •	1409
488 Spectroscopic 2D observation of flames in an industrial furnace for steel processing	K.Kitagawa	• • •	1410
489 Depth profiling of thin surface layers in radiofrequency-powered glow discharge optical emission spectrometry associated with amplitude modulation technique	K.Wagatsuma	• • •	1411
490 The voids analysis of porous materials using NMR imaging and spectroscopy	K.Saito	• • •	1412
491 Structural analysis of Al-containing compounds using MQMAS and CP/MQMAS NMR	K.Kanehashi	• • •	1413
492 Analysis of the O-H groups in coals by infrared spectrometry	Y.Fujioka	• • •	1414
493 Characterization of pyrolysis reaction of coal by generated gas monitoring	M.Nishifuji	• • •	1415
494 Determination of vapor pressures of PCDD/Fs by Knudsen Method	X.Li	• • •	1416